

**PRICE LIST**  
EFFECTIVE FROM 23.06.2024

**AGRICULTURE PRODUCTS**

RPVC PIPE | COLUMN PIPE | CASING PIPE | HDPE PIPE  
LDPE PIPE | SPRAY PIPE | GARDEN PIPE | SUCTION PIPE

**BP PRODUCTS**

CPVC PIPE | UPVC PIPE | SWR PIPE  
DRAINAGE PIPE | GARDEN PIPE | WATER TANK

**MICRO IRRIGATION**

DRIP SYSTEM | SPRINKLER PIPE

**INDUSTRIAL SOLUTIONS**

HDPE PIPES | DENSITY POLYETHYLENE  
PLB DUCT | MICRO DUCT




**PIPE LINE OF  
NEW INDIA**



# CONTENT

About Us .....	1	Spray Pipe .....	33
Our Certifications .....	2	LDPE Pipe .....	33
Mission & Vision .....	3	Solvent Cement .....	33
<b>Agricultural Products</b>		Water Storage Tank .....	33
RPVC Pipe & Fittings .....	6	<b>Building Product</b>	
Fabricated Fittings .....	12	CPVC Pipes & Fittings .....	36
HDPE Pipe .....	15	UPVC Pipes & Fittings .....	43
Casing Pipe .....	20	SWR Pipes & Fittings .....	49
Column Pipe .....	24	Water Storage Tank .....	57
Drip Irrigation System .....	27	Quality Certifications .....	58
Sprinkler pipes & fittings .....	31	Technical Information .....	62
Suction Pipe .....	33	Our Presence .....	63
Air Duct .....	33	Note .....	65
Garden Pipe .....	33		

# ABOUT US



**Krita Industries India Ltd.**  
**Pithampur (Madhya Pradesh)**  
 Plastics (Extrusion & Molding) Spread over an area of 1,61,874 sq.mt., with fully automatic plant with extrusion lines injection & blow molding facilities 12,000 sq.mt. of area for injection molding of plastic, equipped with latest technology

**Krita Nutrients Ltd.**  
**Dewas (Madhya Pradesh)**  
 Soya Extraction & Refining Spread over an area of 60520 sq.mt., equipped with modern infrastructure & state-of-the-art machinery.



# OUR CERTIFICATIONS

Kasta has received various certifications for unbeatable quality, best service and for manufacturing innovative agricultural & plumbing products.



ISO 9001:2015  
 Certified



मानक: पथप्रदर्शक:  
 Bureau of Indian  
 Standards



**NABL**  
 ISO / IEC 17025  
 Accredited



ISO 14001 : 2015



ISO 45001 : 2018



NSF CERTIFIED





## OUR VISION

An energetic organization on a long haul charting a distinct course for customer admiration, led by a disciplined team of vibrant people.



## OUR MISSION

Kriti undertakes to dedicate itself and all its resources to achieving global excellence in the present sectors of operations and seeking growth via diversification.



## OUR VALUES

- Ethical business practices.
- Honoring commitments.
- Offering maximum value to customers.
- Socially responsible organization.
- No compromise on quality in products and processes.

# PIPING SOLUTIONS FOR A SMART WORLD



**Agriculture**  
Irrigation  
and Borewell  
Solutions



**Building Products**  
Plumbing and  
Sanitation  
Solutions and  
Water Tanks



**Micro Irrigation**  
Drip Irrigation  
and Sprinkler  
Systems



**Industrial**  
Ducts for Cables  
and Pipes for  
Chemicals

# INSIDE OUR PIPES, THE SECRET OF PROSPERITY LIES!



**ONLY KASTA  
 RPVC PIPES ARE BUILT  
 FROM 100% VIRGIN  
 MATERIAL TO BEAR  
 ALL THE LOAD.**



**RPVC SELFIT PIPES MANUFACTURED AS PER IS 4985: 2021**



**RPVC SELFIT PIPES**

Size (mm)	Size (Inch)	Length (Mtr)	2.5 Kg/cm <sup>2</sup>		4 Kg/cm <sup>2</sup>		6 Kg/cm <sup>2</sup>		8 Kg/cm <sup>2</sup>		10 Kg/cm <sup>2</sup>		12.5 Kg/cm <sup>2</sup>	
			Code	Rate Rs./Mtr	Code	Rate Rs./Mtr	Code	Rate Rs./Mtr	Code	Rate Rs./Mtr	Code	Rate Rs./Mtr	Code	Rate Rs./Mtr
20	1/2"	6	-	-	-	-	-	-	-	-	44000157	26	-	-
25	3/4"	3	-	-	-	-	-	-	44005363	37	-	-	-	-
25	3/4"	6	-	-	-	-	-	-	44000166	37	44000165	39	-	-
32	1"	6	-	-	-	-	-	-	44000170	56	44000169	62	-	-
40	1 1/4"	3	-	-	-	-	44000171	62	-	-	-	-	-	-
40	1 1/4"	6	-	-	-	-	44000173	62	-	-	44000172	91	-	-
50	1 1/2"	3	-	-	-	-	44000175	93	-	-	-	-	-	-
50	1 1/2"	6	-	-	-	-	44000176	93	-	-	44000174	148	-	-
63	2"	3	-	-	44000178	103	44000179	148	-	-	-	-	-	-
63	2"	6	-	-	44000177	103	44000180	148	-	-	44000181	228	-	-
75	2 1/2"	3	-	-	44000184	144	-	-	-	-	-	-	-	-
75	2 1/2"	6	-	-	44000183	144	44000185	205	44004664	262	44000182	323	-	-
90	3"	3	-	-	-	-	-	-	-	-	-	-	-	-
90	3"	6	44000189	131	44000187	204	44000188	297	44004665	376	44000190	459	-	-
110	4"	3	-	-	44000131	295	-	-	-	-	-	-	-	-
110	4"	6	44000130	194	44000132	295	44000133	429	44004666	560	44000129	691	44006901	845
125	4 1/2"	6	44003087	250	44006984	391	44000058	566	44006319	713	44000057	888	-	-
140	5"	3	-	-	-	-	-	-	-	-	-	-	-	-
140	5"	6	44000140	309	44000138	481	44000139	702	44006128	904	44000137	1110	44006129	1365
160	6"	6	44000142	402	44000143	628	44000144	908	44004993	1198	44000145	1443	-	-
180	7"	6	44000148	518	44000149	814	44000150	1168	44006142	1504	44000063	1840	-	-
200	8"	6	44000153	638	44000156	988	44000154	1430	-	-	44000152	2274	-	-
225	9"	6	44002155	845	44000158	1286	44000069	1869	-	-	44000068	2971	-	-
250	10"	6	44000161	1021	44000162	1576	44000163	2338	44006252	3043	44000160	3699	-	-
280	11"	6	-	-	44003116	1997	44000167	2928	-	-	44000072	4633	-	-
315	12"	6	44001205	1642	44002182	2549	44000168	3730	-	-	44000074	5876	-	-

## RPVC SELFIT PIPES

Size (mm)	Size (Inch)	Length (Mtr)	2.5 Kg/cm <sup>2</sup>		4 Kg/cm <sup>2</sup>		6 Kg/cm <sup>2</sup>		8 Kg/cm <sup>2</sup>		10 Kg/cm <sup>2</sup>		12.5 Kg/cm <sup>2</sup>	
			Code	Rate Rs./Mtr	Code	Rate Rs./Mtr	Code	Rate Rs./Mtr	Code	Rate Rs./Mtr	Code	Rate Rs./Mtr	Code	Rate Rs./Mtr
90 (LS)	3"	6	-	-	-	-	44002502	297	-	-	44002503	459	-	-
110 (LS)	4"	6	-	-	-	-	44000134	434	-	-	44002501	691	-	-
140 (LS)	5"	6	-	-	44005312	481	-	-	-	-	-	-	-	-

\*LS - Long Socket

## RPVC MOULEDED FITTINGS MANUFACTURED AS PER IS 7834: 1987



### COUPLER

Material Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	CB	PB	Price (per piece)
44000370	20	4	1000	100	9
44000371	25	4	1000	100	10
44000372	32	4	600	60	14
44000373	40	4	400	50	18
44000374	50	4	200	25	24
44000375	63	4	144	-	36
44000376	75	4	80	-	56
44000377	90	4	48	-	94
44000367	110	4	24	-	106
44000368	140	4	24	-	179
44000369	160	4	16	-	242



### REDUCER

Material Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	CB	PB	Price (per piece)
<b>Reducer : 4Kg/cm<sup>2</sup></b>					
44000468	25X20	4	800	100	10
44000469	32X20	4	900	100	10
44000470	32X25	4	600	60	14
44000471	40X25	4	350	50	14
44000472	40X32	4	350	50	18
44000473	50X40	4	250	50	24
44000474	63X50	4	240	-	36
44000475	75X40	4	140	-	44
44000476	75X50	4	135	-	44
44000477	75X63	4	140	-	48
44000479	90X75	4	84	-	85
44000461	110X63	4	52	-	102
44000462	110X75	4	40	-	105
44000463	110X90	4	52	-	114
44000465	140X90	4	36	-	158
44000464	140X110	4	36	-	171
44000466	160X110	4	25	-	221
44000467	160X140	4	24	-	225
<b>Reducer : 6Kg/cm<sup>2</sup></b>					
44002769	90X63	6	80	-	66
44002855	160X90	6	10	-	321



### TAIL PIECE

Material Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	CB	PB	Price (per piece)
44000507	63	4	150	-	37
44000511	75	4	100	-	44
44000512	90	4	70	-	69
44000508	110	4	70	-	97
44000509	140	4	40	-	159
44000510	160	4	15	-	192
44002826	200	4	10	-	427



## ELBOW

Material Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	CB	PB	Price (per piece)
<b>Reducer : 12.5Kg/cm<sup>2</sup></b>					
44006976	90X63	12.5	-	-	137
44006977	90X75	12.5	-	-	147
44006973	110X63	12.5	-	-	198
44006974	110X75	12.5	-	-	203
44006975	110X90	12.5	-	-	218



## ELBOW THREADED

Material Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	CB	PB	Price (per piece)
<b>Elbow Threaded : 4Kg/cm<sup>2</sup></b>					
44000381	63	4	75	-	89
44000378	90	4	24	-	203
44000380	110	4	24	-	284
<b>Elbow Threaded : 6Kg/cm<sup>2</sup></b>					
44005502	75	6	40	-	114
<b>Elbow Threaded : 12.5Kg/cm<sup>2</sup></b>					
44006952	63	12.5	-	-	140
44006953	75	12.5	-	-	188
44006954	90	12.5	-	-	284
44006955	110	12.5	-	-	446



## REDUCING BUSH

Material Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	CB	PB	Price (per piece)
44000481	90X63	4	120	-	63
44000480	110X90	4	60	-	109



## FLANGE

Material Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	CB	PB	Price (per piece)
44002767	90	4	32	-	77
44002766	110	4	24	-	137

Material Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	CB	PB	Price (per piece)
<b>Elbow : 2.5Kg/cm<sup>2</sup></b>					
44000455	63	2.5	96	-	32
44000457	75	2.5	75	-	48
44000459	90	2.5	54	-	73
44000453	110	2.5	28	-	113
<b>Elbow : 4Kg/cm<sup>2</sup></b>					
44000428	20	4	800	200	9
44000430	25	4	700	100	14
44000432	32	4	400	50	18
44000436	50	4	140	-	35
44000439	63	4	72	-	52
44000444	75	4	45	-	74
44000449	90	4	42	-	110
44000421	110	4	22	-	169
44000424	140	4	8	-	321
44000426	160	4	8	-	425
<b>Elbow : 6Kg/cm<sup>2</sup></b>					
44002695	40	6	250	-	30
44002577	50	6	140	-	37
44002578	63	6	72	-	73
44002580	75	6	75	-	97
44002696	90	6	24	-	177
44002697	110	6	22	-	255
44004178	140	6	8	-	590
44004179	160	6	4	-	694
44004180	180	6	4	-	1134
44004196	200	6	4	-	1327
44005924	250	6	1	-	2701
<b>Elbow : 12.5Kg/cm<sup>2</sup></b>					
44005894	63	12.5	63	45	96
44005895	75	12.5	75	30	137
44005896	90	12.5	90	20	205
44005897	110	12.5	110	10	331



## TEE

Material Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	CB	PB	Price (per piece)
<b>Tee : 2.5Kg/cm2</b>					
44000456	63	2.5	110	-	41
44000458	75	2.5	60	-	66
44000460	90	2.5	38	-	94
44000454	110	2.5	20	-	135
<b>Tee : 4Kg/cm2</b>					
44000429	20	4	800	100	14
44000431	25	4	500	50	17
44000433	32	4	250	-	26
44000441	63	4	90	-	63
44000446	75	4	50	-	89
44000451	90	4	30	-	149
44000423	110	4	18	-	223
44000425	140	4	5	-	457
44000427	160	4	6	-	637
<b>Tee : 6Kg/cm2</b>					
44002698	40	6	150	-	34
44002699	50	6	80	-	53
44002581	63	6	90	-	81
44002582	75	6	50	-	128
44002700	90	6	30	-	225
44002701	110	6	16	-	350
44004193	140	6	5	-	719
44004338	160	6	6	-	1104
44004953	200	6	3	-	2174
<b>Tee : 12.5Kg/cm2</b>					
44005898	63	12.5	42	-	135
44005899	75	12.5	24	-	181
44005900	90	12.5	16	-	274
44005901	110	12.5	8	-	483



## REDUCING TEE

Material Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	CB	PB	Price (per piece)
<b>Reducing Tee : 4Kg/cm2</b>					
44000488	4	63X32	60	-	66
44000489	4	63X40	60	-	69
44000490	4	63X50	50	-	70
<b>Reducing Tee : 6Kg/cm2</b>					
44005903	6	75X63	30	-	198
44005904	6	90X75	20	-	232
44002780	6	110X63	25	-	247
44005905	6	110X75	23	-	324
44005906	6	110X90	23	-	343
44004195	6	140X110	8	-	738
44004339	6	160X110	6	-	1111
44005930	6	200X160	3	-	1845



## TEE THREADED

Material Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	CB	PB	Price (per piece)
<b>Threaded Tee : 4Kg/cm2</b>					
44000442	63	4	80	-	120
44000447	75	4	30	-	177
44000452	90	4	18	-	271
<b>Threaded Tee : 6Kg/cm2</b>					
44005902	110	6	8	-	475
<b>Threaded Tee : 12.5Kg/cm2</b>					
44006956	63	12.5	-	-	156
44006957	75	12.5	-	-	239
44006958	90	12.5	-	-	360
44006959	110	12.5	-	-	563



### M.T.A

Material Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	CB	PB	Price (per piece)
<b>MTA : 4Kg/cm2</b>					
44000412	20	4	1000	100	9
44000413	25	4	1000	100	10
44000414	32	4	600	75	14
44000415	40	4	300	50	22
44000416	50	4	200	25	30
44000417	63	4	210	-	36
44000419	90	4	65	-	81
44000411	110	4	50	-	119
44004173	140	4	33	-	199
44004174	160	4	14	-	384
<b>MTA : 6Kg/cm2</b>					
44006183	75	6	125	-	56
<b>MTA : 10Kg/cm2</b>					
44005506	63	10	210	-	39
44005507	75	10	120	-	61
44005508	90	10	64	-	96
44005512	110	10	45	-	132
<b>MTA : 12.5Kg/cm2</b>					
44006968	63	12.5	96	-	50
44006969	75	12.5	76	-	74
44006970	90	12.5	36	-	115
44006971	110	12.5	27	-	178

### REDUCING F.T.A.



Material Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	CB	PB	Price (per piece)
44000482	75X50	4	125	-	57
44000483	75X63	4	125	-	63
44000485	90X63	4	65	-	97
44000484	90X75	4	65	-	110
44004372	110X90	4	30	-	210



### Y TEE

Material Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	CB	PB	Price (per piece)
44000514	63	4	72	-	101
44000513	90	4	24	-	192



### REDUCING M.T.A.

Material Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	CB	PB	Price (per piece)
44002836	75X63	4	125	-	56
44002768	90X75	4	65	-	81



### F.T.A.

Material Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	CB	PB	Price (per piece)
<b>FTA : 4Kg/cm2</b>					
44000403	20	4	1000	100	9
44000404	25	4	800	100	10
44000405	32	4	600	100	14
44000406	40	4	300	50	21
44000407	50	4	200	25	32
44000408	63	4	144	-	45
44000409	75	4	75	-	58
44000410	90	4	80	-	83
44000402	110	4	20	-	166
<b>FTA : 10Kg/cm2</b>					
44005503	63	10	140	-	53
44005504	75	10	75	-	65
44005505	90	10	48	-	88
44005511	110	10	20	-	172
<b>FTA : 12.5 Kg/cm2</b>					
44006964	63	12.5	-	-	69
44006965	75	12.5	-	-	103
44006966	90	12.5	45	-	130
44006967	110	12.5	18	-	198





## END CAP PLAIN

Material Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	CB	PB	Price (per piece)
<b>End Cap Plain : 4Kg/cm<sup>2</sup></b>					
44000387	20	4	1000	100	6
44000388	25	4	1000	100	9
44000389	32	4	800	100	10
44000390	40	4	500	50	17
44000391	50	4	400	40	22
44000392	63	4	150	-	32
44000394	75	4	100	-	45
44000396	90	4	70	-	60
44000384	110	4	60	-	77
44000398	140	4	48	-	102
44000399	160	4	32	-	207
44000400	180	4	18	-	271
44000401	200	4	18	-	393
<b>End Cap Plain : 12.5Kg/cm<sup>2</sup></b>					
44006960	63	12.5	-	-	38
44006961	75	12.5	-	-	53
44006962	90	12.5	-	-	85
44006963	110	12.5	-	-	129



## END CAP THREADED

Material Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	CB	PB	Price (per piece)
<b>End Cap Threaded : 4Kg/cm<sup>2</sup></b>					
44000383	40	4	500	50	24
44000393	63	4	120	20	47
44000395	75	4	100	-	57
44000397	90	4	100	-	70
44000385	110	4	50	-	118
44004175	140	4	26	-	235
44004177	160	4	15	-	308
<b>End Cap Threaded : 12.5Kg/cm<sup>2</sup></b>					
44006922	63	12.5	200	-	55
44006923	75	12.5	84	-	66
44006924	90	12.5	54	-	86
44006925	110	12.5	30	-	232



## SERVICE SADDLE

Material Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	CB	PB	Price (per piece)
<b>Service Saddle : 4Kg/cm<sup>2</sup></b>					
44000498	63X20	4	50	-	109
44000497	63X25	4	50	-	105
44000499	63X32	4	50	-	106
44000500	75X20	4	50	-	129
44000501	75X25	4	50	-	127
44000505	75X32	4	50	-	129
44000502	90X20	4	40	-	160
44000503	90X25	4	40	-	163
44000504	90X32	4	40	-	164
44000493	110X20	4	40	-	188
44000494	110X25	4	40	-	189
44000495	110X32	4	40	-	189
44004370	140X32	4	25	-	221
44004371	140X40	4	25	-	219
44002835	140X50	4	25	-	215
44004369	160X25	4	25	-	259
44004368	160X32	4	25	-	263
44004170	180X25	4	15	-	309
44004171	180X32	4	15	-	307
44004481	200X25	4	15	-	388
44004482	200X32	4	15	-	388
44002838	200X63	4	15	-	412
<b>Service Saddle : 12.5Kg/cm<sup>2</sup></b>					
44006927	63x20	12.5	-	-	122
44006926	63x25	12.5	-	-	118
44006928	63x32	12.5	-	-	126
44006929	75x20	12.5	-	-	144
44006930	75x25	12.5	-	-	147
44006931	75x32	12.5	-	-	150
44006932	90X20	12.5	-	-	153
44006933	90X25	12.5	-	-	158
44006934	90X32	12.5	-	-	163
44006935	110x20	12.5	-	-	183
44006936	110x25	12.5	-	-	178
44006937	110x32	12.5	-	-	183

**RPVC FABRICATED FITTINGS**



**FABRICATED BEND 90°**

Material Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	Packing	Degree	Price (per piece)
<b>Fabricated Bend 90° : 4Kg/cm2</b>					
44000767	63	4	50	90	69
44000769	75	4	25	90	108
44000771	90	4	15	90	176
44000754	110	4	10	90	307
44000756	140	4	5	90	696
44000759	160	4	3	90	1034
44000762	180	4	2	90	1484
44000763	200	4	2	90	2030
44001261	225	4	15	90	-
<b>Fabricated Bend 90° : 6Kg/cm2</b>					
44002724	40	6	150	90	27
44002725	50	6	100	90	45
44000768	63	6	50	90	96
44000770	75	6	25	90	154
44000772	90	6	15	90	253
44000752	110	6	10	90	440
44000757	140	6	5	90	979
44000760	160	6	3	90	1425
44003990	180	6	2	90	2035
44000764	200	6	2	90	2898
44000766	250	6	8	90	5624
<b>Fabricated Bend 90° : 10Kg/cm2</b>					
44002721	20	10	500	90	8
44002722	25	10	400	90	13
44002723	32	10	300	90	22
44002277	90	10	15	90	447
44000755	110	10	150	90	786
44002282	160	10	2	90	2375
44002818	200	10	1	90	4852



**FABRICATED BEND 60°**

Material Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	Packing	Degree	Price (per piece)
<b>Fabricated Bend 60° : 4Kg/cm2</b>					
44002256	110	4	2	60	295
44002257	140	4	3	60	717
44002258	160	4	2	60	1066
44002259	200	4	50	60	2250
<b>Fabricated Bend 60° : 6Kg/cm2</b>					
44002260	63	6	15	60	94
44002261	90	6	10	60	254
44002262	110	6	3	60	446
44002263	160	6	15	60	1647



**FABRICATED BEND 45°**

Material Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	Packing	Degree	Price (per piece)
<b>Fabricated Bend 45° : 4Kg/cm2</b>					
44002965	110	4	2	45	-
44002966	140	4	5	45	606
44002967	160	4	3	45	899
44004141	180	4	3	45	1484
44002968	200	4	2	45	1291
<b>Fabricated Bend 45° : 6Kg/cm2</b>					
44002131	63	6	50	45	94
44000773	90	6	15	45	220
44000753	110	6	15	45	383
44000758	140	6	5	45	851
44000761	160	6	3	45	1240
44005391	180	6	8	45	-
44000765	200	6	2	45	2521
<b>Fabricated Bend 45° : 10Kg/cm2</b>					
44002279	90	10	10	45	388
44002281	110	10	3	45	733
44002286	160	10	2	45	2066



### FABRICATED BEND 22.5°

Material Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	Packing	Degree	Price (per piece)
<b>Fabricated Bend 22.5° : 6Kg/cm2</b>					
44002133	63	6	5	22.5	94
44001591	90	6	2	22.5	254
44001583	110	6	10	22.5	446
44001584	140	6	100	22.5	-
44001585	160	6	5	22.5	1647
44005390	180	6	20	22.5	-
44001586	200	6	4	22.5	-
<b>Fabricated Bend 22.5° : 10Kg/cm2</b>					
44002278	90	10	15	22.5	388
44002280	110	10	10	22.5	733



### DOUBLE SOCKET BEND

Material Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	Packing	Degree	Price (per piece)
44001887	90	90	75	-	-
44001885	110	90	1	-	-
44001884	160	90	1	-	-
44001890	90	45	6	-	-
44001889	110	45	1	-	-
44001579	125	45	1	-	-
44001888	160	45	1	-	-
44001580	180	45	1	-	-
44001581	200	45	6	-	-
44001893	90	22.5	50	-	-
44001892	110	22.5	1	-	-
44001891	160	22.5	1	-	-
44001883	90	-	60	-	-
44001882	110	-	1	-	-
44001881	160	-	1	-	-

### FABRICATED BEND 11.5°



Material Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	Packing	Degree	Price (per piece)
<b>Fabricated Bend 11.5° : 6Kg/cm2</b>					
44002132	63	6	50	11.5	94
44001582	90	6	20	11.5	254
44001587	110	6	12	11.5	446
44001588	140	6	4	11.5	-
44001589	160	6	2	11.5	1647
44001590	200	6	1	11.5	-



### REPAIR COUPLER

Material Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	Leagth (Inch)	Packing	Price (per piece)
44005251	63	4	-	30	208
44006657	63	4	18	36	135
44006663	63	4	12	45	108
44005252	75	4	-	25	280
44006664	75	4	12	34	153
44006658	75	4	18	24	185
44005253	90	4	-	15	364
44006659	90	4	18	20	247
44006665	90	4	12	25	196
44005254	110	4	-	10	519
44006660	110	4	18	12	341
44006666	110	4	12	15	262
44005382	140	4	-	5	920
44005383	160	4	-	4	1250

### FABRICATED END CAP

Material Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	CB	PB	Price (per piece)
<b>Fabricated END CAP (Inner Threaded)</b>					
44002119	100	-	15	-	455
44000749	150	-	15	-	520
44002120	175	-	10	-	757
44002121	200	-	8	-	1114
<b>Fabricated END CAP (Outer Threaded)</b>					
44000750	150	-	15	-	520
44002985	175	-	10	-	757
44003016	200	-	8	-	1114



## FABRICATED COUPLER

Material Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	CB	PB	Price (per piece)
<b>Fabricated Coupler : 2.5Kg/Cm2</b>					
44000709	160	2.5	8	-	-
44000712	180	2.5	-	-	-
44000720	200	2.5	6	-	-
44000724	225	2.5	15	-	-
44000728	250	2.5	6	-	-
<b>Fabricated Coupler : 4Kg/Cm2</b>					
44000739	63	4	200	-	21
44000742	75	4	125	-	33
44000744	90	4	70	-	52
44000701	110	4	40	-	87
44000705	140	4	25	-	175
44000710	160	4	15	-	248
44000713	180	4	12	-	364
44000721	200	4	8	-	524
44000725	225	4	4	-	717
44000729	250	4	4	-	1028
44000732	315	4	2	-	2048
<b>Fabricated Coupler : 6Kg/Cm2</b>					
44000736	40	6	600	-	10
44000738	50	6	400	-	17
44000740	63	6	200	-	29
44000743	75	6	125	-	46
44000745	90	6	70	-	75
44000703	110	6	40	-	129
44000706	140	6	25	-	262
44000711	160	6	15	-	366
44000714	180	6	12	-	539
44000722	200	6	8	-	751
44000726	225	6	6	-	970
44000730	250	6	4	-	1483
44000733	315	6	70	-	2951

Material Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	CB	PB	Price (per piece)
<b>Fabricated Coupler : 10Kg/Cm2</b>					
44000717	20	10	-	-	5
44000727	25	10	-	-	7
44000734	32	10	-	-	10
44000737	50	10	-	-	-
44000741	75	10	-	-	71
44000746	90	10	-	-	119
44000700	110	10	-	-	210
44000707	140	10	-	-	415
44000708	160	10	-	-	594
44000719	200	10	-	-	1211
44000731	250	10	-	-	2412
<b>Fabricated Coupler : 15Kg/Cm2</b>					
44000718	20	15	-	-	-
44001445	25	15	-	-	-
44001444	32	15	-	15	-
44000735	40	15	-	-	-
<b>Fabricated Coupler : 20Kg/Cm2</b>					
44000723	20	20	4	-	-



## REDUCER FABRICATED

Material Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	CB	PB	Price (per piece)
44002372	180x140	6	2	-	-
44002371	180x160	6	2	-	-



## W/C CONNECTOR

Material Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	Lenght (ft.)	PB	Price (per piece)
44000747	110	-	1.5	25	154
44000748	110	-	1	10	104
44001568	110	-	1	2	104

**KASTA HDPE PIPES  
 ARE MADE OF VIRGIN  
 PLASTIC GUARANTEEING  
 SUPERIOR QUALITY  
 AND STRENGTH.**



**HDPE PIPES PE 63**

**HDPE PIPES MANUFACTURED AS PER IS 4984: 2016**

Size (mm)	Length (Mtr)	2.5 Kg/cm <sup>2</sup>		4 Kg/cm <sup>2</sup>		5 Kg/cm <sup>2</sup>		6 Kg/cm <sup>2</sup>		8 Kg/cm <sup>2</sup>		10 Kg/cm <sup>2</sup>		16 Kg/cm <sup>2</sup>	
		Code	Price Rs./Mtr	Code	Price Rs./Mtr	Code	Price Rs./Mtr	Code	Price Rs./Mtr	Code	Price Rs./Mtr	Code	Price Rs./Mtr	Code	Price Rs./Mtr
20	100	-	-	-	-	-	-	-	-	-	-	44000887	41	-	-
20	200	-	-	-	-	-	-	-	-	-	-	44000889	41	-	-
20	300	-	-	-	-	-	-	-	-	-	-	44000890	41	-	-
20	500	-	-	-	-	-	-	-	-	-	-	44000891	41	-	-
20	1000	-	-	-	-	-	-	-	-	-	-	44000888	41	-	-
25	200	-	-	-	-	-	-	44000903	46	-	-	44000899	61	-	-
25	300	-	-	-	-	-	-	44000905	46	-	-	44000900	61	-	-
25	500	-	-	-	-	-	-	44000906	46	-	-	44000901	61	-	-
25	1000	-	-	-	-	-	-	44000907	46	-	-	-	-	-	-
32	100	-	-	-	-	-	-	44000912	68	-	-	-	-	-	-
32	200	-	-	-	-	-	-	44000914	68	-	-	-	-	-	-
32	300	-	-	-	-	-	-	44000915	68	-	-	-	-	-	-
32	500	-	-	-	-	-	-	44000916	68	-	-	44000927	99	-	-
32	1000	-	-	-	-	-	-	44000913	68	-	-	44000926	99	-	-
40	100	-	-	44000937	75	-	-	44000945	100	-	-	-	-	-	-
40	200	-	-	44000938	75	-	-	44000946	100	-	-	44000935	153	44005358	229
40	300	-	-	44000939	75	-	-	44000947	100	44003631	141	44000936	153	-	-
40	500	-	-	44000940	75	44000928	104	44000948	100	44005701	141	-	-	-	-
40	1000	-	-	44000934	75	-	-	44006200	100	-	-	-	-	-	-
50	100	-	-	44000970	113	-	-	44000974	157	-	-	-	-	-	-
50	200	-	-	44000971	113	44000963	159	-	-	-	-	-	-	-	-
50	300	-	-	44003133	113	-	-	44000976	157	-	-	-	-	-	-
50	500	-	-	44000982	113	-	-	44000977	157	44005361	218	-	-	-	-
63	200	-	-	44000994	174	44000984	254	44000989	244	44003069	343	44001001	403	-	-
63	300	-	-	44003203	174	-	-	44001005	244	-	-	-	-	-	-
63	500	-	-	44000995	174	-	-	44000998	244	44005362	343	-	-	-	-
75	100	-	-	-	-	-	-	-	-	-	-	44001031	517	-	-
75	105	-	-	-	-	44001006	367	-	-	-	-	-	-	-	-
75	200	-	-	44001024	247	-	-	44001012	349	44002693	484	44001030	517	-	-
75	300	-	-	44005452	247	-	-	-	-	-	-	-	-	-	-



## HDPE PIPES PE 63

Size (mm)	Length (Mtr)	2.5 Kg/cm <sup>2</sup>		4 Kg/cm <sup>2</sup>		5 Kg/cm <sup>2</sup>		6 Kg/cm <sup>2</sup>		8 Kg/cm <sup>2</sup>		10 Kg/cm <sup>2</sup>		16 Kg/cm <sup>2</sup>	
		Code	Price Rs./Mtr	Code	Price Rs./Mtr	Code	Price Rs./Mtr	Code	Price Rs./Mtr	Code	Price Rs./Mtr	Code	Price Rs./Mtr	Code	Price Rs./Mtr
90	100	-	-	44001207	357	-	-	44001036	497	44002694	692	-	-	-	-
90	110	-	-	-	-	-	-	44001066	497	-	-	-	-	-	-
90	150	-	-	-	-	-	-	44005967	497	-	-	-	-	-	-
110	50	-	-	44000855	539	-	-	-	-	-	-	-	-	-	-
110	100	-	-	44000862	539	-	-	44001212	745	-	-	-	-	-	-
125	-	44000878	407	-	-	-	-	44000880	-	-	-	-	-	-	-
125	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
125	60	-	-	44000879	675	-	-	-	-	-	-	-	-	-	-
160	5	-	-	44000881	1093	-	-	44000883	-	-	-	-	-	-	-
160	6	-	-	44000882	1093	-	-	44002186	1746	-	-	-	-	-	-
180	5	-	-	-	-	-	-	-	-	-	-	44000884	-	-	-
180	6	-	-	44000885	-	-	-	44000886	1956	-	-	-	-	-	-
200	5	-	-	44000895	-	-	-	44000896	-	-	-	44000894	-	-	-
400	5	44000952	-	44000953	-	-	-	44000954	-	44000955	-	44000950	-	44000951	-
630	6	44002412	-	44002402	-	-	-	-	-	-	-	-	-	-	-



## HDPE PIPES PE 80

Size (mm)	Length (Mtr)	2.5 Kg/cm <sup>2</sup>		4 Kg/cm <sup>2</sup>		6 Kg/cm <sup>2</sup>		8 Kg/cm <sup>2</sup>		10 Kg/cm <sup>2</sup>		12.5 Kg/cm <sup>2</sup>	
		Code	Price Rs./Mtr	Code	Price Rs./Mtr	Code	Price Rs./Mtr	Code	Price Rs./Mtr	Code	Price Rs./Mtr	Code	Price Rs./Mtr
20	300	-	-	-	-	-	-	-	-	44001863	-	-	-
20	500	-	-	-	-	-	-	-	-	-	-	-	-
20	1000	-	-	-	-	-	-	-	-	-	-	-	-
25	500	-	-	-	-	-	-	-	-	44001219	55	-	-
32	100	-	-	-	-	-	-	44000831	74	-	-	-	-
32	500	-	-	-	-	-	-	44002414	74	44000830	88	-	-
40	100	-	-	-	-	44002164	92	-	-	-	-	-	-
40	300	-	-	-	-	44000832	92	-	-	44002287	146	-	-
40	500	-	-	-	-	44000833	92	44002415	114	44003642	146	-	-
40	1000	-	-	-	-	-	-	-	-	44006201	146	44006309	-
50	200	-	-	44000840	115	44000841	141	-	-	-	-	-	-
50	300	-	-	-	-	44002338	141	-	-	-	-	-	-
50	500	-	-	-	-	44001218	141	44003652	176	-	-	-	-
63	100	-	-	-	-	44002165	214	-	-	44002321	327	-	-
63	200	-	-	44000843	158	44000844	214	-	-	-	-	-	-



**HDPE PIPES PE 80**

Size (mm)	Length (Mtr)	2.5 Kg/cm <sup>2</sup>		4 Kg/cm <sup>2</sup>		6 Kg/cm <sup>2</sup>		8 Kg/cm <sup>2</sup>		10 Kg/cm <sup>2</sup>		12.5 Kg/cm <sup>2</sup>	
		Code	Price Rs./Mtr	Code	Price Rs./Mtr	Code	Price Rs./Mtr	Code	Price Rs./Mtr	Code	Price Rs./Mtr	Code	Price Rs./Mtr
63	300	-	-	-	-	44003114	214	44004995	271	44003654	327	-	-
63	500	-	-	-	-	44000845	214	44005360	271	44003653	327	-	-
75	200	-	-	44000846	215	44000847	305	-	-	44003712	462	-	-
75	300	-	-	-	-	44000848	305	44004996	385	44003655	462	-	-
75	350	-	-	-	-	44006805	305	-	-	-	-	-	-
90	100	-	-	-	-	44001558	431	44001902	554	-	-	-	-
90	200	-	-	-	-	44006530	431	-	-	-	-	-	-
110	50	-	-	-	-	44001861	660	-	-	-	-	-	-
110	100	-	-	44001914	455	44001862	660	-	-	44002125	1063	-	-
125	6	-	-	44002333	583	44002837	900	-	-	-	-	-	-
125	12	-	-	-	-	44002600	900	-	-	-	-	-	-
140	6	-	-	44005972	-	44005978	-	-	-	44001921	1591	-	-
140	12	-	-	-	-	44002167	1026	-	-	-	-	-	-
140	30	-	-	-	-	44006190	1026	-	-	-	-	-	-
160	6	44001879	622	44000827	945	44000828	1353	-	-	44000826	2071	-	-
160	12	-	-	44002057	945	44001550	1353	-	-	-	-	-	-
180	6	44003063	854	-	-	44006791	1885	-	-	-	-	-	-
180	12	-	-	44002730	1319	-	-	-	-	-	-	-	-
200	6	44002734	1049	44003017	1614	44001864	2108	-	-	44002821	3571	-	-
200	12	-	-	44002741	1614	44001551	2108	-	-	-	-	-	-
225	6	-	-	-	-	44001880	-	-	-	44002822	4521	-	-
225	12	-	-	-	-	44002744	2663	-	-	-	-	-	-
250	6	-	-	44002919	2533	44002737	3281	-	-	44002823	5579	-	-
250	12	44002935	1636	44002917	2533	-	-	-	-	-	-	-	-
280	6	-	-	-	-	-	-	-	-	44002824	6990	-	-
280	12	-	-	-	-	44002745	4109	-	-	-	-	-	-
315	5	-	-	-	-	55000402	-	-	-	-	-	-	-
315	6	44002736	2581	-	-	44003783	5397	44001751	4013	-	-	-	-
315	12	44002934	2581	44002729	4013	44001552	5397	-	-	-	-	-	-
400	-	44000835	-	44000836	-	44000837	-	44000838	-	44000834	-	-	-
400	6	-	-	-	-	44003784	9456	-	-	-	-	-	-
400	12	-	-	-	-	44001780	9456	-	-	-	-	-	-
450	6	-	-	-	-	44003785	11942	-	-	-	-	-	-
450	12	44002933	5369	44002728	8338	-	-	-	-	-	-	-	-
500	6	-	-	-	-	44003786	13141	-	-	-	-	-	-
630	6	44002411	-	44002875	-	-	-	-	-	-	-	-	-
630	12	-	-	44002727	-	-	-	-	-	-	-	-	-



**HDPE PIPES PE 100**

Size (mm)	Length (Mtr)	6 Kg/cm <sup>2</sup>		8 Kg/cm <sup>2</sup>		10 Kg/cm <sup>2</sup>		12.5 Kg/cm <sup>2</sup>		16 Kg/cm <sup>2</sup>	
		Code	Price Rs./Mtr	Code	Price Rs./Mtr	Code	Price Rs./Mtr	Code	Price Rs./Mtr	Code	Price Rs./Mtr
20	200		-		-		-		-	44003811	44
25			-		-		-		-		-
32	100		-		-	44003812	75		-		-
32	500		-		-	44005145	75	44003060	-		-
40	100		-	44000817	94		-		-		-
40	200		-	44004091	94	44003061	122		-		-
40	300		-	44006804	-	44006555	122		-		-
40	500		-		-	44005410	122		-		-
50	100	44000818	125		-		-		-		-
50	200	44004090	125		-		-		-		-
50	500		-		-	44005411	187		-		-
63	100	44005869	176		-		-		-		-
63	200	44000819	176	44002115	227	44002377	274		-		-
63	300	44004056	176		-	44002378	274		-		-
63	500	44007034	176		-	44002087	274		-		-
75	100		-	44002114	322		-		-		-
75	200	44000821	254		-		-		-		-
75	300		-		-	44005325	386		-		-
75	350	44007038	254		-		-		-		-
75	500		-		-	44002085	386		-		-
90	6	44002747	338		-	44007039	604		-	44000823	-
90	12	44004641	338		-		-		-		-
90	100	44000824	338	44005023	497	44005275	604		-		-
90	150	44005692	338		-		-		-		-
90	200	44003461	338	44007040	497	44006047	604		-		-
90	225	44007032	338		-		-		-		-
110	6	44002746	523	44004883	739	44002844	892		-		-
110	12	44004642	523		-		-		-		-
110	50	44004069	523	44005261	739	44005274	892		-		-
110	100	44000796	523	44005844	739	44006219	892		-		-
110	175	44007033	523		-		-		-		-
125	6	44004068	678	44004884	953	44002843	1149		-		-



## HDPE PIPES PE 100

Size (mm)	Length (Mtr)	6 Kg/cm <sup>2</sup>		8 Kg/cm <sup>2</sup>		10 Kg/cm <sup>2</sup>		12.5 Kg/cm <sup>2</sup>		16 Kg/cm <sup>2</sup>	
		Code	Price Rs./Mtr	Code	Price Rs./Mtr	Code	Price Rs./Mtr	Code	Price Rs./Mtr	Code	Price Rs./Mtr
125	12	44004643	678		-		-		-		-
140	6	44000798	851		-		-		-		-
140	12	44002815	851		-		-		-		-
160	6	44000802	1107		-	44000799	1720		-	44000800	2522
160	12	44002816	1107		-		-		-		-
180	6	44007035	1552		-		-		-		-
200	6	44000804	1721	44005247	2462		-		-		-
200	12	44004645	1721		-		-		-		-
225	6	44003462	2427	44004887	3120		-		-		-
225	12	44006186	2427		-		-		-		-
250	6		-	44004888	3842		-		-		-
250	12	44002916	2980		-		-		-		-
280	6	44000805	3367	44004889	4820		-		-		-
280	12	44006185	3367		-		-		-		-
315	6	44003463	4483	44005249	6094	44003823	7369	44003481	-		-
315	12	44006184	4483		-	44002833	7369		-		-
355	6	44000808	5402		-	44000809	9370		-		-
400	6	44004066	7339		-	44000813	10508		-		-
450	6	44004065	9809		-		-		-		-
630	6	44002413	-		-		-		-		-



## I.D. HDPE (PE-63)

Code	Size (mm)	Length (ft.)	Pressure Kg/Cm <sup>2</sup>	Rate Rs./Mtr
44000928	40	500	5	104
44000963	50	200	5	159
44000984	63	200	5	254
44001006	75	105	5	367

**CASING PIPES  
 FOR BOREWELL  
 TO PROVIDE EXTRA  
 SAFETY UNDER THE  
 HARSHEST OF  
 WATER CONDITIONS.**



**CASING PIPES CS/CM MANUFACTURED AS PER IS 12818**

**PLAIN CS PIPES**  
 As per IS-12818

Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	Length Mtr	Rate Rs./Mtr
44000244	150	-	3	985
44000246	175	-	3	1499
44000247	200	-	3	1857
44000248	250	-	3	3061

**SLOTTED CS PIPES**

Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	Length Mtr	Rate Rs./Mtr
44000242	100	-	3	531
44000245	150	-	3	1036
44000249	175	-	3	1551
44001198	200	-	3	1908
44000250	250	-	3	3245

**PLAIN CS PIPES NON ISI**

Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	Length Mtr	Rate Rs./Mtr
44000241	100	-	3	478
44005296	115	-	3	630
44000243	125	-	3	748

**SLOTTED CM PIPES**

Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	Length Mtr	Rate Rs./Mtr
44000239	100	-	3	633
44005990	115	-	3	817
44004720	125	-	3	1073
44002389	150	-	3	1332
44000240	175	-	3	1883
44002159	200	-	3	2398

**PLAIN CM PIPES**  
 As per IS-12818

Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	Length Mtr	Rate Rs./Mtr
44007136	40	-	3	-
44007137	50	-	3	-
44007138	80	-	3	-
44000234	100	-	3	581
44004843	115	-	3	715
44000235	125	-	3	936
44000236	150	-	3	1279
44000237	175	-	3	1829
44000238	200	-	3	2348
44006040	250	-	3	3911

**RIBBED CASING PIPES**

Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	Length Mtr	Rate Rs./Mtr
44002433	100	-	3	954
44000251	150	-	3	1934
44000252	200	-	3	3290

**RIBBED MEDIUM SCREEN**  
 As per IS-12818

Code	Size (mm)	Slot Size mm	Length Mtr	Rate Rs./Mtr
44007117	40	0.3	1.82	415
44007118	50	0.3	1.82	350
44007189	50	1.5	3	350
44007119	50	0.3	3	350
44007120	80	0.3	3	524
44007121	80	1.5	3	524
44007122	100	0.3	3	810
44007123	100	1.5	3	810
44007190	100	0.3	3	810
44007191	100	0.5	1.82	810
44007141	100	0.2	3	-
44007124	125	0.3	3	1252
44007125	125	0.5	3	1252
44007126	125	1.5	3	1252
44007127	150	0.5	3	1679
44007128	150	1.5	3	1679

**GREY CASING NON ISI**

Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	Length Mtr	Rate Rs./Mtr
<b>Grey Casing : 4kg/cm<sup>2</sup> (SDR-47)</b>				
44006645	90	4	6	188
44006646	110	4	6	272
<b>Grey Casing : 6kg/cm<sup>2</sup> (SDR-31)</b>				
44006168	110	6	6	402
44005537	140	6	6	648
44005538	160	6	6	832
44005539	180	6	6	1067
44005540	200	6	6	1335
44006018	140	-	6	611
44005962	180	-	6	859

**CM PREMIUM SERIES CASING**

Code	Size (mm)	Length Mtr	Rate Rs./Mtr
44007368	100	3	518
44007369	115	3	602
44007370	125	3	756
44007371	150	3	1034

**BLUE CASING THREADED**

Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	Length Mtr	Rate Rs./Mtr
44005489	110	6	3	424
44006515	125	6	3	573
44004182	140	6	3	698
44004183	160	6	3	888
44004184	200	6	3	1396
44005398	225	5	3	1700

**BLUE CASING NON ISI**

Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	Length Mtr	Rate Rs./Mtr
<b>Blue Casing : 4Kg/cm<sup>2</sup> (SDR-47)</b>				
44000210	90	4	6	184
44000195	110	4	6	266
44006148	140	4	3	441
44000199	140	4	6	441
44000202	160	4	6	557
44000205	180	4	6	756
44000207	200	4	6	938
44000208	225	4	6	1202
<b>Blue Casing : 5kg/cm<sup>2</sup> (SDR-36)</b>				
44000194	110	5	6	361
44006149	140	5	3	579
44000197	140	5	6	579
44000200	160	5	6	743
44000204	180	5	6	951
44004980	200	5	6	1099
44005260	225	5	6	1659
<b>Blue Casing : 6kg/cm<sup>2</sup> (SDR-31)</b>				
44006147	110	6	3	198
44000196	110	6	6	394
44001197	125	6	6	539
44006150	140	6	3	634
44000198	140	6	6	634
44000201	160	6	6	815
44000203	180	6	6	1056
44000206	200	6	6	1322
44000209	225	6	6	1834



## BLUE CASING SLOTTED

Material Description	Code	Size mm	Pressure Kg/Cm <sup>2</sup>	Length Mtr	Rate Rs./Mtr
<b>Blue Casing Slotted : 4Kg/cm<sup>2</sup></b>					
BLUE CASING SLOTTED	44000211	110	4	6	295
BLUE CASING SLOTTED MP	44000212	140	4	6	456
BLUE CASING SLOTTED RAIPUR	44006093	140	4	6	456
BLUE CASING SLOTTED ROHATAK	44006094	140	4	6	456
BLUE CASING SLOTTED MH	44006095	140	4	6	456
BLUE CASING SLOTTED MP	44000220	160	4	6	616
BLUE CASING SLOTTED RAIPUR	44006096	160	4	6	616
BLUE CASING SLOTTED ROHATAK	44006097	160	4	6	616
BLUE CASING SLOTTED MH	44006098	160	4	6	616
BLUE CASING SLOTTED MP	44000222	180	4	6	783
BLUE CASING SLOTTED RAIPUR	44006099	180	4	6	783
BLUE CASING SLOTTED ROHATAK	44006100	180	4	6	783
BLUE CASING SLOTTED MH	44006101	180	4	6	783
BLUE CASING SLOTTED MP	44000215	200	4	6	964
BLUE CASING SLOTTED RAIPUR	44006102	200	4	6	964
BLUE CASING SLOTTED ROHATAK	44006103	200	4	6	964
BLUE CASING SLOTTED MH	44006104	200	4	6	964
BLUE CASING SLOTTED MP	44000217	225	4	6	1228
BLUE CASING SLOTTED RAIPUR	44006105	225	4	6	1228
CASING BLUE SLOTTED ROHATAK	44006106	225	4	6	1228
BLUE CASING SLOTTED MH	44006107	225	4	6	1228
<b>Blue Casing Slotted : 5Kg/cm<sup>2</sup></b>					
BLUE CASING SLOTTED MP	44004957	140	5	6	608
BLUE CASING SLOTTED RAIPUR	44006108	140	5	6	608
BLUE CASING SLOTTED ROHATAK	44006109	140	5	6	608
BLUE CASING SLOTTED MH	44006110	140	5	6	608
BLUE CASING SLOTTED MP	44004956	160	5	6	773
BLUE CASING SLOTTED RAIPUR	44006111	160	5	6	773
BLUE CASING SLOTTED ROHATAK	44006112	160	5	6	773
BLUE CASING SLOTTED MH	44006113	160	5	6	773
BLUE CASING SLOTTED MP	44000213	180	5	6	977
BLUE CASING SLOTTED RAIPUR	44006114	180	5	6	977
BLUE CASING SLOTTED ROHATAK	44006115	180	5	6	977
BLUE CASING SLOTTED MH	44006116	180	5	6	977
BLUE CASING SLOTTED ROHATAK	44006188	225	5	6	1820



## BLUE CASING SLOTTED

Material Description	Code	Size mm	Pressure Kg/Cm <sup>2</sup>	Length Mtr	Rate Rs./Mtr
<b>Blue Casing Slotted : 6Kg/cm2</b>					
BLUE CASING SLOTTED	44000218	110	6	6	424
BLUE CASING SLOTTED MP	44000219	140	6	6	677
BLUE CASING SLOTTED RAIPUR	44006066	140	6	6	677
BLUE CASING SLOTTED ROHATAK	44006067	140	6	6	677
BLUE CASING SLOTTED MH	44006068	140	6	6	677
BLUE CASING SLOTTED MP	44000221	160	6	6	861
BLUE CASING SLOTTED RAIPUR	44006069	160	6	6	861
BLUE CASING SLOTTED ROHATAK	44006070	160	6	6	861
BLUE CASING SLOTTED MH	44006071	160	6	6	861
BLUE CASING SLOTTED MP	44000223	180	6	6	1081
BLUE CASING SLOTTED ROHATAK	44004092	180	6	6	1081
BLUE CASING SLOTTED RAIPUR	44006072	180	6	6	1081
BLUE CASING SLOTTED ROHATAK	44006073	180	6	6	1081
BLUE CASING SLOTTED MH	44006074	180	6	6	1081
BLUE CASING SLOTTED MP	44000214	200	6	6	1348
BLUE CASING SLOTTED RAIPUR	44006075	200	6	6	1348
BLUE CASING SLOTTED ROHATAK	44006076	200	6	6	1348
BLUE CASING SLOTTED MH	44006077	200	6	6	1348
BLUE CASING SLOTTED	44006015	200	6	3	1574
BLUE CASING SLOTTED ROHATAK	44000216	225	6	6	1860
BLUE CASING SLOTTED MP	44006078	225	6	6	1860
BLUE CASING SLOTTED RAIPUR	44006079	225	6	6	1860
BLUE CASING SLOTTED MH	44006080	225	6	6	1860



## GREY CASING SLOTTED

Material Description	Code	Size mm	Pressure Kg/Cm <sup>2</sup>	Length Mtr	Rate Rs./Mtr
Grey CASING SLOTTED MP	44005554	140	6	6	682
Grey CASING SLOTTED RAIPUR	44006117	140	6	6	682
Grey CASING SLOTTED MP	44005608	160	6	6	869
Grey CASING SLOTTED RAIPUR	44006118	160	6	6	869
Grey CASING SLOTTED MP	44005555	180	6	6	1092
Grey CASING SLOTTED RAIPUR	44006119	180	6	6	1092
Grey CASING SLOTTED MP	44005609	200	6	6	1360
Grey CASING SLOTTED RAIPUR	44006120	200	6	6	1360

**KASTA COLUMN PIPES  
 ARE ERGONOMICALLY  
 DESIGNED TO WITHSTAND  
 OPTIMUM LOAD  
 ASSURING A LONGER LIFE  
 FOR A BOREWELL.**



**COLUMN PIPE**

Type	Code	Size (Inch)	Size (MM)	Length (Mtr)	Pressure Kg/Cm <sup>2</sup>	Packing (Nos. Per Bundle)	Rate Rs./Mtr
V4-12.5KG	44006681	1	25	3	12.5	25	107
V4-15KG	44006682	1	25	3	15	25	116
MEDIUM PLUS	44006683	1	25	3	17	25	125
CRYSTAL	44006684	1	25	3	21	25	133
STANDARD	44006685	1	25	3	30	25	185
V4-10KG	44006686	1.25	32	3	10	25	127
V4-12.5KG	44006687	1.25	32	3	12.5	25	153
V4-15KG	44006688	1.25	32	3	15	25	165
MEDIUM PLUS	44006689	1.25	32	3	17	25	187
CRYSTAL	44006690	1.25	32	3	21	25	204
STANDARD	44006691	1.25	32	3	25	25	236
HEAVY	44006692	1.25	32	3	35	15	281
SUPER HEAVY PLUS	44006693	1.25	32	3	40	15	331
SUPER HEAVY PLUS	44006694	1.25	32	3	45	15	363
V4-12.5KG	44006695	1.5	40	3	12.5	25	185
V4-15KG	44006696	1.5	40	3	15	25	208
MEDIUM PLUS	44006697	1.5	40	3	17	25	230
CRYSTAL	44006698	1.5	40	3	21	25	247
STANDARD	44006699	1.5	40	3	26	25	290
HEAVY	44006700	1.5	40	3	35	15	376
SUPER HEAVY	44006701	1.5	40	3	40	15	417
ECO MEDIUM	44006702	2	50	3	8	15	213
MEDIUM	44006703	2	50	3	13	15	299
CRYSTAL	44006704	2	50	3	17	15	312
STANDARD	44006705	2	50	3	20	10	391
HEAVY	44006706	2	50	3	27	10	492
SUPER HEAVY	44006707	2	50	3	35	-	571



## COLUMN PIPE

Type	Code	Size (Inch)	Size (MM)	Length (Mtr)	Pressure Kg/Cm <sup>2</sup>	Packing (Nos. Per Bundle)	Rate Rs./Mtr
HEAVY PLUS	44006708	2.25	50	3	30	7	580
MEDIUM	44006709	2.5	65	3	10	10	380
STANDARD	44006710	2.5	65	3	16	10	539
STANDARD PLUS	44006711	2.5	65	3	21	7	586
HEAVY	44006712	2.5	65	3	26	7	668
SUPER HEAVY	44006713	2.5	65	3	35	5	922
SUPER HEAVY	44006714	2.5	65	3	40	5	1016
MEDIUM	44006715	3	80	3	11	5	520
STANDARD	44006716	3	80	3	17	5	707
STANDARD PLUS	44006717	3	80	3	21	5	782
HEAVY	44006718	3	80	3	26	5	887
SUPER HEAVY	44006719	3	80	3	35	5	1231
HEAVY PLUS	44006720	3.5	90	3	30	5	1508
ECO MEDIUM	44006721	4	100	3	8	5	687
MEDIUM	44006723	4	100	3	10	5	776
STANDARD	44006724	4	100	3	15	5	1010
STANDARD PLUS	44006725	4	100	3	21	3	1291
HEAVY	44006726	4	100	3	26	3	1536
SUPER HEAVY	44006727	4	100	3	35	3	2034



## BELL TYPE COLUMN

Type	Code	Size (Inch)	Size (MM)	Pressure Kg/Cm <sup>2</sup>	Packing (Nos. Per Bundle)	Rate Rs./Mtr
V4-12.5KG	44006734	1	25	12.5	25	79
V4-15KG	44006735	1	25	15	25	86
CRYSTAL	44006736	1	25	21	25	118
STANDARD	44006737	1	25	30	25	148
V4-12.5KG	44006738	1.25	32	12.5	25	127
V4-15KG	44006739	1.25	32	15	25	144
CRYSTAL	44006740	1.25	32	21	25	193
STANDARD	44006741	1.25	32	25	25	215
HEAVY	44006742	1.25	32	35	15	256
V4-12.5KG	44006743	1.5	40	12.5	25	142
V4-15KG	44006744	1.5	40	15	25	165
CRYSTAL	44006745	1.5	40	21	25	189
STANDARD	44006746	1.5	40	26	25	284
HEAVY	44006747	1.5	40	35	15	335



## TOP ADAPTOR

Code	Size (mm)	Size Inch	Packing	Price (per piece)
55002283	-	1	-	-
55002198	-	1.25	-	-
55002199	-	1.5	-	-
55002201	-	2	-	-
55002200	-	2.5	-	-
55002202	-	3	-	-
55002203	-	4	-	-



## BOTTOM ADAPTOR

Code	Size (mm)	Size Inch	Packing	Price (per piece)
55002282	-	1	-	-
55002204	-	1.25	-	-
55002205	-	1.5	-	-
55002207	-	2	-	-
55002206	-	2.5	-	-
55002208	-	3	-	-
55002209	-	4	-	-



## PUMP GUARD


Code	Size (mm)	Size Inch	Packing	Price (per piece)
44007088	50	2"	27	489
44007089	65	2.5"	26	631
44007090	80	3"	26	806
44007091	100	4"	26	1230



**KASTA INLINE &  
 ONLINE DRIP SYSTEM  
 FOR BETTER CROPS  
 AND HIGHER YIELDS.**



**PLAIN LATERED PIPE MANUFACTURED AS PER IS 13487:1992**



**PLAIN LATERAL**

Type	Code	Size (MM)	Lenght (Mtr)	Rate Rs./Mtr
12MM CLASS-1 LATERALS (500 MTR)	44001560	12	500	8.89
12MM CLASS-2 LATERALS (500 MTR)	44001561	12	500	11.73
16MM CLASS-1 LATERALS (300 MTR)	44001184	16	300	14.69
16MM CLASS-2 LATERALS 100MTR	44004260	16	100	21.18
16MM CLASS-2 LATERALS 300MTR	44001185	16	300	17.58
16MM CLASS-2 LATERALS 300MTR (APMIP)	44005174	16	300	13.77
16MM CLASS-2 LATERALS 300MTR (TSMIP)	44005175	16	300	13.77
-	44007313	-	100	26.22
20MM CLASS-2 LATERALS 300MTR	44005166	20	300	26.22
25MM CLASS-2 LATERALS 200MTR	44003391	25	200	50.39
32MM CLASS-2 LATERALS 200MTR	44003392	32	200	68.96



**INLINE LATERAL CYLINDRICAL DRIPPER**

Material Description	Code	Size (MM)	Lenght (Mtr)	Rate Rs./Mtr
KASTA KHUSH HALI 16.2.40 CL-2 (AP) 300 M	44004503	16	300	14.04
KASTA KHUSH HALI 16.4.40 CL-2 (TS) 300 M	44005281	16	300	17.45
KASTA KHUSH HALI 16.4.60 CL-2 (TS) 300 M	44005199	16	300	16.34
KASTA KHUSH HALI 16.4.40 CL-2 (AP) 300 M	44004501	16	300	17.47
KASTA KHUSH HALI 16.4.60 CL-2 (AP) 300 M	44004502	16	300	16.32

## INLINE LATERAL

Material Description	Code	Size (MM)	Lenght (Mtr)	Rate Rs./Mtr
<b>CLASS : I</b>				
KHUSH-HALI INLINE DRIP(CL-1)16.2.30 500M	44005001	16	500	14.24
KHUSH-HALI INLINE DRIP(CL-1)16.2.40 500M	44005002	16	500	12.96
KHUSH-HALI INLINE DRIP(CL-1)16.2.50 500M	44005003	16	500	12.96
KHUSH-HALI INLINE DRIP(CL-1)16.2.60 500M	44005004	16	500	11.78
KHUSH-HALI INLINE DRIP(CL-1)16.4.30 300M	44005367	16	300	14.73
KHUSH-HALI INLINE DRIP(CL-1)16.4.30 500M	44005005	16	500	14.01
KHUSH-HALI INLINE DRIP(CL-1)16.4.40 300M	44005366	16	300	13.53
KHUSH-HALI INLINE DRIP(CL-1)16.4.40 500M	44005006	16	500	12.79
KHUSH-HALI INLINE DRIP(CL-1)16.4.50 500M	44005007	16	500	12.12
KHUSH-HALI INLINE DRIP(CL-1)16.4.60 500M	44005008	16	500	11.67
KHUSH-HALI INLINE DRIP(CL-1)16.4.75 500M	44005009	16	500	-
KHUSH-HALI INLINE DRIP(CL-1)16.4.90 500M	44005010	16	500	-
<b>CLASS : II</b>				
KHUSH-HALI INLINE DRIP(CL-2)16.2.30 300M	44002756	16	300	18.73
KHUSH-HALI INLINE DRIP(CL-2)16.2.40 300M	44002841	16	300	17.54
KHUSH-HALI INLINE DRIP(CL-2)16.2.50 300M	44003742	16	300	16.69
KHUSH-HALI INLINE DRIP(CL-2)16.2.60 300M	44004234	16	300	16.21
KHUSH-HALI INLINE DRIP(CL-2)12.4.40 500M	44002906	12	500	11.38
KHUSH-HALI INLINE DRIP(CL-2)12.4.50 500M	44002907	12	500	10.73
KHUSH-HALI INLINE DRIP(CL-2)12.4.60 500M	44002908	12	500	10.40
KHUSH-HALI INLINE DRIP(CL-2)12.4.75 500M	44002909	12	500	9.88
KHUSH-HALI INLINE DRIP(CL-2)12.4.90 500M	44003007	12	500	9.87
KHUSH-HALI INLINE DRIP(CL-2)16.4.30 300M	44002752	16	300	18.36
KHUSH-HALI INLINE DRIP(CL-2)16.4.40 300M	44002753	16	300	17.45
KHUSH-HALI INLINE DRIP(CL-2)16.4.50 300M	44002840	16	300	16.79
KHUSH-HALI INLINE DRIP(CL-2)16.4.60 300M	44002754	16	300	16.34
KHUSH-HALI INLINE DRIP(CL-2)16.4.90 300M	44004191	16	300	15.30
<b>NON ISI</b>				
KHUSH HALI INLINE 12.4.40 (.4 TO.5) 500M	44005061	12	500	-



## INLINE LATERAL FLAT DRIPPER

Material Description	Code	Size (MM)	Length (Mtr)	Rate Rs./Mtr
KHUSH-HALI FLAT DRIPPER(CL-1)20.2.30 300M	44005036	20	300	17.57
KHUSH-HALI FLAT DRIPPER(CL-1)20.2.40 300M	44005037	20	300	17.48
KHUSH-HALI FLAT DRIPPER(CL-1)20.2.50 300M	44005149	20	300	17.43
KHUSH-HALI FLAT DRIPPER(CL-1)20.2.60 300M	44005150	20	300	13.22
KHUSH-HALI FLAT DRIPPER(CL-1)20.4.60 300M	44005035	20	300	17.39
KHUSH-HALI FLAT DRIPPER(CL-1)20.4.30 300M	44005032	20	300	17.57
KHUSH-HALI FLAT DRIPPER(CL-1)20.4.40 300M	44005033	20	300	17.48
KHUSH-HALI FLAT DRIPPER(CL-1)20.4.50 300M	44005034	20	300	17.43
KHUSH-HALI FLATDRIP (CL-2) 12.2.40 500	44005513	12	500	9.20
KHUSH-HALI FLATDRIP(CL-2)(AP)12.2.40 500	44004473	12	500	9.20
KHUSH-HALI FLAT DRIPPER(CL-2)12.4.40 500M	44004467	12	500	9.30
KHUSH-HALI FLAT DRIPPER(CL-2)12.4.50 500M	44004468	12	500	9.15
KHUSH-HALI FLAT DRIPPER(CL-2)12.4.60 500M	44004469	12	500	9.19
KHUSH-HALI FLAT DRIPPER(CL-2)12.4.75 500M	44004470	12	500	9.08
KHUSH-HALI FLAT DRI C-2 (AP)16.2.40 500M	44005499	16	500	15.48
KHUSH-HALI FLAT DRI C-2 (AP)16.4.40 500M	44005173	16	500	13.41
KHUSH-HALI FLAT DRI C-2 (TS)16.4.40 500M	44005169	16	500	15.08
KHUSH-HALI FLAT DRI C-2 (TS)16.4.50 500M	44005171	16	500	15.01
KHUSH-HALI FLAT DRI C-2 (TS)16.4.60 500M	44005172	16	500	14.98
KHUSH-HALI FLAT DRIPPER(CL-2)16.2.40 500M	44004461	16	500	15.48
KHUSH-HALI FLAT DRIPPER(CL-2)16.2.50 500M	44004462	16	500	15.43
KHUSH-HALI FLAT DRIPPER(CL-2)16.4.30 500M	44004454	16	500	15.16
KHUSH-HALI FLAT DRIPPER(CL-2)16.4.40 500M	44004455	16	500	15.08
KHUSH-HALI FLAT DRI C-2(BGR)16.4.40 500M	44005485	16	500	15.08
KHUSH-HALI FLAT DRIPPER(CL-2)16.4.50 500M	44004456	16	500	15.01
KHUSH-HALI FLAT DRIPPER(CL-2)16.4.60 500M	44004457	16	500	14.98



## INLINE LATERAL FLAT DRIPPER NON ISI

Material Description	Code	Size (MM)	Length (Mtr)	Rate Rs./Mtr
KASTA SARAL EMIT PIPE (.4) 12:4:40 500M	44005255	12	500	6.01
KASTA SARAL EMIT PIPE (.4) 12:4:40 1000M	44004761	12	1000	6.01
KASTA SARAL EMIT PIPE (.4) 12:4:50 500M	44005256	12	500	5.95
KASTA SARAL EMIT PIPE (.4) 12:4:50 1000M	44004762	12	1000	5.95
KASTA SARAL EMIT PIPE (.4) 12:4:60 1000M	44004756	12	1000	5.92
KASTA SARAL EMIT PIPE (.4) 16:4:30 1000M	44005242	16	1000	8.26
KASTA SARAL EMIT PIPE (.4) 16:4:40 1000M	44004763	16	1000	8.19
KASTA SARAL EMIT PIPE (.4) 20:4:40 500M	44006495	20	500	11.45
KASTA SARAL EMIT PIPE (.5) 12:4:40 500M	44004766	12	500	7.78
KASTA SARAL EMIT PIPE (.5) 12:4:50 500M	44004767	12	500	7.50
KASTA SARAL EMIT PIPE (.5) 16:4:30 500MT	44005243	16	500	10.76
KASTA SARAL EMIT PIPE (.5) 16:4:40 500MT	44005257	16	500	9.64
KASTA SARAL EMIT PIPE (.5) 16:4:40 1000M	44004768	16	1000	9.64
KASTA SARAL EMIT PIPE (.5) 16:4:50 500MT	44005258	16	500	9.60
KASTA SARAL EMIT PIPE (.5) 16:4:50 1000M	44004769	16	1000	9.60
KASTA SARAL EMIT PIPE (.5) 16:4:60 1000M	44004770	16	1000	9.56
KASTA SARAL EMITPIPE MH-R1 12.4.40.1000M	44004572	12	1000	4.08
KASTA SARAL EMIT PIPE (MH) 12:4:50 2000M	44004564	12	2000	4.15
KASTA SARAL EMIT PIPE (MP) 12:2:40 2000M	44004544	12	2000	3.71
KASTA SARAL EMIT PIPE (MP) 12:2:50 2000M	44004545	12	2000	3.67
KASTA SARAL EMIT PIPE (MP) 12:2:60 2000M	44004546	12	2000	3.63
KASTA SARAL EMIT PIPE (MP) 12:4:30 2000M	44004537	12	2000	3.80
KASTA SARAL EMIT PIPE (MP) 12:4:40 2000M	44004538	12	2000	3.74
KASTA SARAL EMIT PIPE (MP) 12:4:50 2000M	44004539	12	2000	3.67
KASTA SARAL EMIT PIPE (MP) 12:4:60 2000M	44004540	12	2000	3.63
KASTA SARAL EMIT PIPE (MP) 12:4:75 2000M	44004541	12	2000	3.59
KASTA SARAL EMIT PIPE (MP) 16:2:30 1000M	44004531	16	1000	5.04
KASTA SARAL EMIT PIPE (MP) 16:2:40 1000M	44004532	16	1000	4.96
KASTA SARAL EMIT PIPE (MP) 16:4:30 1000M	44004525	16	1000	5.02
KASTA SARAL EMIT PIPE (MP) 16:4:40 1000M	44004526	16	1000	4.93
KASTA SARAL EMIT PIPE (MP) 16:4:50 1000M	44004527	16	1000	4.94
KASTA SARAL EMIT PIPE (MP) 16:4:60 1000M	44004528	16	1000	4.87

**KASTA, THE ONLY  
SPRINKLER SYSTEMS  
THAT SAVES MONEY,  
TIME AND EFFORT.**



**SPRINKLER PIPES & FITTINGS/BLACK CLAMP/GI CLAMP/YELLOW LATCH  
MANUFACTURED AS PER IS 14151 PART I & II**

**SPRINKLER PIPES**



Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	Length Mtr	Rate Rs./Mtr
<b>Black Clamp(Pipes)</b>				
44005427	63	3.2	6	151
44005429	75	2.5	6	176
44005428	75	3.2	6	216
44001264	90	2.5	6	228
44002910	110	2.5	6	337
<b>GI Clamp(Pipes)</b>				
44005184	63	3.2	6	151
44004991	75	2.5	6	180
44005186	90	2.5	6	238
44005187	90	3.2	6	330
<b>Yellow Latch(Pipes)</b>				
44001054	63	3.2	6	143
44001056	75	2.5	6	172
44001898	75	3.2	6	211
44001070	90	2.5	6	255
44001043	110	2.5	6	333

**BRASS NOZZEL**



Code	Description	Size mm	Length Mtr	Price (per piece)
55000635	Brass Nozzel	5.1	-	762
55001551	Brass Nozzel	4.1	-	832
55002324	Brass Nozzel (CAP)	5.1	-	821



**COUPLED BEND**

Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	Length Mtr	Price (per piece)
<b>Black Clamp(Pipes)</b>				
55001739	63	-	-	410
55001743	75	-	-	365
55000324	90	-	-	475
<b>Yellow Latch(Pipes)</b>				
55001675	63	-	-	305
55001533	75	-	-	418
<b>Yellow Latch(Pipes)</b>				
55000157	63	-	-	227
44000774	75	-	-	280
55000171	90	-	-	446
55000169	110	-	-	543



**END CAP**

Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	Length Mtr	Price (per piece)
<b>Black Clamp(Pipes)</b>				
55001678	63	-	-	65
55000247	75	-	-	86
55000329	90	-	-	124
<b>Yellow Latch(Pipes)</b>				
55000160	63	-	-	90
44002054	75	-	-	138
55000083	90	-	-	124
55000190	110	-	-	152



### FOOTBOTOM

Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	Length Mtr	Price (per piece)
<b>Black Clamp(Pipes)</b>				
55001740	63	-	-	490
44006236	75	-	-	570
55000330	90	-	-	940
<b>GI Clamp(Pipes)</b>				
55001676	63	-	-	560
44005604	75	-	-	606
<b>Yellow Latch(Pipes)</b>				
44001999	63	-	-	406
44002416	75	-	-	551
44002000	90	-	-	557
55000164	110	-	-	676



### PCN

Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	Length Mtr	Price (per piece)
<b>Black Clamp(Pipes)</b>				
55001741	63	-	-	475
44005431	75	-	-	430
55002184	75	-	Short	430
55000328	90	-	-	710
<b>GI Clamp(Pipes)</b>				
55001677	63	-	-	475
44005420	75	-	-	430
<b>Yellow Latch(Pipes)</b>				
55000003	63	-	-	332
44001259	75	-	-	400
44001997	90	-	-	600
44001998	110	-	-	970



### COUPLED TEE

Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	Length Mtr	Price (per piece)
<b>Black Clamp(Pipes)</b>				
55001738	63	-	-	510
55001742	75	-	-	585
55000325	90	-	-	710
<b>GI Clamp(Pipes)</b>				
55001674	63	-	-	510
55001532	75	-	-	669
<b>Yellow Latch(Pipes)</b>				
55000158	63	-	-	301
44000776	75	-	-	380
55000172	90	-	-	600
55000170	110	-	-	738




### RISER PIPE

Code	Mat. Description	Pressure Kg/cm <sup>2</sup>	Length Mtr	Rate Per/Mtr
55001171	SPR. RISER PIPE -100 CMS	-	1	260



### REDUCER GI CLAMP

Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	Length Mtr	Price (per piece)
44005280	75X63	-	-	222
44005279	90x75	-	-	277



## SUCTION PIPES

Code	Size (mm)	Pressure Kg/cm <sup>2</sup>	Length Mtr	Rate Per/Mtr
<b>Standard</b>				
44005828	20	-	-	71
44005829	25	-	-	92
44005830	32	-	-	117
44005831	40	-	-	137
44005832	50	-	-	234
44005833	65	-	-	329
44005834	75	-	-	447
44005835	100	-	-	770
<b>Premium</b>				
44005836	20	-	-	86
44005837	25	-	-	104
44005838	32	-	-	139
44005839	40	-	-	184
44005840	50	-	-	303
44005841	65	-	-	409
44005842	75	-	-	507
44005843	100	-	-	857



## GARDEN PIPE

Code	Size (mm)	Standard Packing	Bundle Packing (in Roll)	Rate Per/Mtr
44000353	1/2"	30	5	48
44000354	3/4"	30	4	71
44000352	1"	30	4	95
44005182	1.25"	30	3	122



## LDPE PIPE

Mat Code	Size (mm)	Length Mtr	Rate Per/Mtr
44001187	2"	60	32
44001188	2.5"	60	44
44001189	3"	60	54
44001190	4"	60	72



## AIR DUCT

Mat Code	Size (mm)	Length Mtr	Rate Per/Mtr
44000258	75	6	134
44000259	90	6	191
44000253	110	6	262
44000254	140	6	408
44000255	160	6	524
44000256	180	6	653
44000257	200	6	847



## SOLVENT CEMENT

Code	Capacity (ml)	Packing Type	Packing	Price Per Unit (Rs.)
55002119	25	Tube	384	28
55002120	50	Tube	300	52
55000846	50	Cane	400	46
55000847	100	Cane	240	82
55000848	250	Cane	96	164
55000849	500	Cane	48	305
55000850	1000	Cane	24	560
55000852	5000	Cane	6	2380
55002067	100	Tin	144	107
55002068	250	Tin	96	215
55002069	500	Tin	48	315
55002070	1000	Tin	24	555



## SPRAY PIPE

Code	Color	Size (mm)	Length Mtr	Rate Per/Mtr
44006231	Blue	8	100	58
44006332	Blue	8	200	58
44006328	Blue	8	300	58
44006331	Blue	8	500	58
44006363	Orange	8	100	72
44006364	Orange	8	200	72
44006365	Orange	8	300	72
44006366	Orange	8	500	72


# SMART PIPING SOLUTION INNOVATIVE PIPING PRODUCTS FOR THE CONSTRUCTION INDUSTRY





# BUILDING PRODUCT

## CPVC PIPES & FITTINGS



## UPVC PIPES & FITTINGS

## SWR PIPES & FITTINGS



## WATER STORAGE TANK

**KASTA CPVC PIPES ARE  
MADE FROM PREMIUM  
CPVC RAW MATERIAL FOR  
HOT & COLD WATER  
APPLICATIONS.**




**CPVC SDR 11/ SDR 13.5 PIPES MANUFACTURED AS PER IS 15778**

**SDR-11 (3 Mtr. Length)**




Material Code	Size (Inch)	Size (MM)	Bundle Packing	Price (per piece)
44005011	1/2"	15	100	213
44005012	3/4"	20	50	330
44005013	1"	25	30	495
44005014	1.25"	32	20	738
44005015	1.5"	40	15	1023
44005016	2"	50	10	1704

**SDR-13.5 (3 Mtr. Length)**




Material Code	Size (Inch)	Size (MM)	Bundle Packing	Price (per piece)
44005017	1/2"	15	100	183
44005018	3/4"	20	50	297
44005019	1"	25	30	405
44005020	1.25"	32	30	600
44005021	1.5"	40	15	804
44005022	2"	50	10	1398

**SDR-11 (5 Mtr. Length)**



Material Code	Size (Inch)	Size (MM)	Bundle Packing	Price (per piece)
44006553	3/4"	20	50	550
44007151	1"	25	30	825

**SDR-13.5 (5 Mtr. Length)**



Material Code	Size (Inch)	Size (MM)	Bundle Packing	Price (per piece)
44006554	3/4"	20	50	495
44007216	1"	25	30	675

**CPVC FITTINGS SDR 11 MANUFACTURED AS PER ASTM D2846**

**COUPLER**



Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44005082	1/2"	15	1000	100	11
44005646	3/4"	20	400	100	14
44005647	1"	25	200	50	24
44005720	1.25"	32	126	21	47
44005721	1.5"	40	75	15	78
44005722	2"	50	40	8	179

**ELBOW 45°**



Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44005112	1/2"	15	500	100	14
44005908	3/4"	20	300	60	20
44005649	1"	25	150	25	36
44005115	1.25"	32	80	20	77
44005117	1.5"	40	48	12	117
44005118	2"	50	20	5	156

**COUPLER REDUCING**



Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44005090	3/4" x 1/2"	20 x 15	500	100	18
44005088	1" x 1/2"	25 x 15	200	50	26
44005648	1" x 3/4"	25 x 20	250	50	23
44007215	1.25" x 1/2"	32 x 15	150	30	-
44005092	1.25" x 3/4"	32 x 20	240	30	53
44005091	1.25" x 1"	32 x 25	150	30	62
44007183	1.5" x 1/2"	40 x 15	100	25 x 4	36
44005094	1.5" x 3/4"	40 x 20	150	25	75
44005729	1.5" x 1"	40 x 25	120	30	79
44005095	1.5" x 1.25"	40 x 32	90	18	84
44007169	2" x 1/2"	50 x 15	64	16 x 4	76
44005099	2" x 3/4"	50 x 20	60	12	168
44005096	2" x 1"	50 x 25	64	16	177
44005098	2" x 1.25"	50 x 32	60	12	181
44005097	2" x 1.5"	50 x 40	48	12	195

**ELBOW REDUCING**



Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44006626	3/4" x 1/2"	20 x 15	300	50	29
44007162	1" x 1/2"	25 x 15	150	30 x 5	33
44006627	1" x 3/4"	25 x 20	150	30	90
44007165	1.25" x 1/2"	32 x 15	100	25 x 4	45
44007108	1.25" x 3/4"	32 x 20	100	20 x 5	61
44007163	1.25" x 1"	32 x 25	80	20 x 4	56
44007166	1.5" x 1/2"	40 x 15	75	15 x 5	65
44007107	1.5" x 3/4"	40 x 20	60	15 x 4	62
44007164	1.5" x 1"	40 x 25	60	15 x 4	93

**ELBOW REDUCING THREADED**



Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44007182	1.5" x 3/4"	40 x 20	75	15 x 5	54

**ELBOW 90°**



Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44004924	1/2"	15	600	100	14
44005642	3/4"	20	240	40	18
44005643	1"	25	120	20	36
44005644	1.25"	32	60	15	77
44005719	1.5"	40	40	10	137
44005820	2"	50	12	3	275

**TEE**



Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44004918	1/2"	15	270	90	26
44005639	3/4"	20	150	30	30
44005640	1"	25	80	20	46
44005641	1.25"	32	40	10	98
44005733	1.5"	40	24	4	162
44005734	2"	50	12	2	345



### TEE REDUCING

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44004936	3/4" x 1/2"	20 x 15	120	40	38
44004937	1" x 1/2"	25 x 15	100	25	65
44005645	1" x 3/4"	25 x 20	60	15	66
44004939	1.25" x 1/2"	32 x 15	50	10	103
44005731	1.25" x 3/4"	32 x 20	60	15	117
44004941	1.25" x 1"	32 x 25	60	15	121
44004942	1.5" x 1/2"	40 x 15	30	10	140
44005821	1.5" x 3/4"	40 x 20	40	8	149
44005732	1.5" x 1"	40 x 25	40	10	154
44004945	1.5" x 1.25"	40 x 32	30	10	168
44004946	2" x 3/4"	50 x 20	24	4	302
44004947	2" x 1"	50 x 25	24	6	412
44004948	2" x 1.25"	50 x 32	16	4	409
44004949	2" x 1.5"	50 x 40	9	3	438



### CROSS TEE

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44005125	3/4"	20	120	30	77
44005126	1"	25	60	15	104
44006604	1.25"	32	36	6	195



### M.T.A. PLASTIC THREAD

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44004900	1/2"	15	450	50	14
44004901	3/4"	20	252	36	22
44004902	1"	25	100	25	34
44004903	1.25"	32	100	25	53
44004904	1.5"	40	48	16	81
44004905	2"	50	32	8	172



### F.T.A. PLASTIC THREAD

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44004906	1/2"	15	450	50	18
44004907	3/4"	20	250	28	29
44004908	1"	25	150	25	47
44004909	1.25"	32	90	15	107
440049010	1.5"	40	60	12	143
44004911	2"	50	36	9	225



### M.T.A. REDUCING

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44005730	3/4" x 1/2"	20 x 15	250	50	25



### BUSH CONVERTING

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44006654	1" x 3/4"	25 x 20	150	30	63



### F.T.A. REDUCING

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44005819	3/4" x 1/2"	20 x 15	250	50	33



### REDUCING BUSH

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44005102	3/4" x 1/2"	20 x 15	800	100	11
44005100	1" x 1/2"	25 x 15	400	50	22
44005101	1" x 3/4"	25 x 20	500	100	23
44005104	1.25" x 3/4"	32 x 20	250	50	28
44005103	1.25" x 1"	32 x 25	250	50	32
44005726	1.5" x 3/4"	40 x 20	150	30	45
44005727	1.5" x 1"	40 x 25	120	30	49
44005107	1.5" x 1.25"	40 x 32	150	30	51
44007168	2" x 1/2"	50 x 15	40	10 x 4	73
44005111	2" x 3/4"	50 x 20	72	18	69
44005728	2" x 1"	50 x 25	72	12	104
44005110	2" x 1.25"	50 x 32	80	20	73
44005109	2" x 1.5"	50 x 40	72	18	65
44007193	2 x 1.5"	50 x 40	80	20 x 4	-



### TRANSACTION COUPLER

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44007177	1/2"	15	350	50 x 7	10
44007178	1"	25	150	30 x 5	29
44007179	1 1/4"	32	80	20 x 4	42
44007180	1 1/2"	40	60	15 x 4	64
44007181	2"	50	32	8 x 4	107



### TRANSACTION BUSH

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44006755	3/4"	20	500	125	21



### CONVERTED COUPLER

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44007185	1 x 3/4"	25 x 20	120	30 x 4	31

### LONG FABRICATED BEND



Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44006761	1/2"	15	160	40	-
44006650	3/4"	20	75	15 x 5	91
44006653	1"	32	40	10 x 4	130
44006759	1.25"	32	24	4	219
44006762	1.5"	40	40	14	270
44006764	2"	50	15	-	-



### STEP OVER BEND ASTM D - 2846

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44004933	1/2"	15	75	25	65
44004934	3/4"	20	40	10	84
44004935	1"	25	40	8	195
44006756	1.25 "	32	36	-	242
44006757	2"	50	32	-	-
44006758	2"	50	20	-	492



### TANK NIPPLE

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44005127	3/4"	20	100	20	63
44005817	1"	25	60	15	94
44005129	1.25"	32	40	10	142
44005130	1.5"	40	32	8	221
44005131	2"	50	18	6	388



### NRV

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44006638	3/4"	20	32	8	293
44006637	1"	25	32	8	345



### END CAP

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44006625	1/2"	15	1000	100	11
44005650	3/4"	20	500	50	12
44005651	1"	25	250	50	23
44005122	1.25 "	32	200	40	33
44005123	1.5"	40	125	25	52
44005124	2"	50	72	12	106



### TANK NIPPLE ONE SIDE PIPE FIT

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44007187	1/2"	15	150	50 x 3	-
44006588	3/4"	20	90	30	75
44006550	1"	25	60	15	84
44006606	1.25"	32	40	10	164
44006910	1.5"	40	32	8 x 4	254
44006912	2"	50	24	6 x 4	398



### END PLUG

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44006760	1/2"	15	200	50	36
44006655	1/2"	15	-	-	11
44006763	3/4"	20	150	30 x 5	14



### UNION

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44004912	1/2"	15	180	60	63
44005818	3/4"	20	100	25	96
44005693	1"	25	75	15	135
44004915	1.25"	32	50	10	171
44004916	1.5"	40	36	6	309
44004917	2"	50	16	4	427



### M.T.A. BRASS

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44006631	1/2"	15	120	30	186
44004891	3/4"	20	144	18	195
44004892	1.25"	32	36	12	650
44005134	1.5"	40	24	8	743
44005135	2"	50	16	4	1485



### M.T.A. REDUCING BRASS

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44005636	3/4" x 1/2"	20 x 15	150	10	121
44006630	1" x 1/2"	25 x 15	125	25	194
44005139	1" x 3/4"	25 x 20	120	24	246



### F.T.A. BRASS HEXA

### F.T.A. BRASS

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44006628	1/2"	15	200	50	153
44004894	3/4"	20	125	25	191
44004895	1.25"	32	36	12	441
44005136	1.5"	40	36	12	789
44005137	2"	50	24	6	975

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44005723	1"	25	60	15	270
44007596	1.25"	-	-	-	-
44007597	1.5"	-	-	-	-
44007598	2"	-	-	-	-



### F.T.A. REDUCING BRASS HEXA

### M.T.A. BRASS HEXA ASTM D - 2846

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44007595	3/4"	-	-	-	-
44005724	1"	25	60	15	288
44007592	1.25"	-	-	-	-
44007593	1.5"	-	-	-	-
44007594	2"	-	-	-	-

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44007599	3/4" x 1/2"	-	-	-	-
44007600	1" x 3/4"	-	-	-	-
44007601	1" x 1/2"	-	-	-	-



### BALL VALVE PLAIN ASTM D - 2846

### F.T.A. REDUCING BRASS ASTM D - 2846

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44005652	3/4" x 1/2"	20 x 15	150	25	72
44005141	1" x 1/2"	25 x 15	150	25	86
44006634	1" x 3/4"	25 x 20	75	25	170
44007186	1.5" x 1.25"	40 x 32	40	10 x 4	762

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44005081	3/4"	20	60	15	168
44004950	1"	25	30	10	302
44004930	1.25"	32	20	4	534
44004931	1.5"	40	12	4	836
44004932	2"	50	10	2	1393



### BALL VALVE ONE SIDE BRASS

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44006651	3/4"	20	60	12	367
44006753	1"	25	32	8	395



### BALL VALVE TWO SIDE BRASS

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44006652	3/4"	20	60	12	501
44006754	1"	25	32	8	516



### TEE REDUCING BRASS

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44005638	3/4" x 1/2"	20 x 15	120	20	83
44005725	1" x 1/2"	25 x 15	84	12	136
44006633	1" x 3/4"	25 x 20	80	20	214
44007110	1.25" x 1/2"	32 x 15	60	15 x 4	154



### ELBOW BRASS

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44006629	1/2"	15	150	50	104
44004897	3/4"	20	100	25	130
44006640	1"	25	100	20	249



### CONCEALED VALVE TEE

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44007160	1/2"	15	100	25 x 4	98
44006608	3/4"	20	60	20	274
44006635	1" x 3/4"	25 x 20	45	15	307



### ELBOW REDUCING BRASS

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44005637	3/4" x 1/2"	20 x 15	100	10	70
44005298	1" x 1/2"	25 x 15	125	25	98
44006632	1" x 3/4"	25 x 20	125	25	228
44007161	1.25" x 1/2"	32 x 15	100	25 x 4	110
44007109	1.25" x 3/4"	32 x 20	80	20 x 4	134



### PIPE CLIP METAL

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44006749	1/2"	15	800	100	12
44006750	3/4"	20	600	100	14
44006752	1"	25	600	100	16
44006605	1.25"	32	500	100	18
44006748	1.5"	40	400	100	22
44006751	2"	50	300	50	25



### ELBOW REDUCING MALE BRASS

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44005143	1" x 1/2"	25 x 15	100	20	118



### WALL MIXER

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44006552	3/4" x 1/2"	20 x 15	7	1	256



### TEE BRASS

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44006892	1/2"	15	160	40	98
44006639	3/2"	20	90	30	222
44006893	1"	25	60	15	239



### CPVC SOLVENT CEMENT

Material Description	Material Code	Pack Size (in ML)	Packing Type	Packing	Price (per piece)
KASTA PROTECH (CPVC)	55001507	120	TIN	144	260
KASTA PROTECH (CPVC)	55001508	240	TIN	96	375

\*CB - CORRUGATED BOX \*BP - POLYTHENE BAG  
\*Image shown in the price list may vary from actual Product.




**KASTA UPVC PIPES & Fittings** are ideal for cold water application.



**UPVC PIPES - SCH 40 / SCH 80 PIPES MANUFACTURED AS PER ASTM D1785**

**SCH-40 (3Mtr. Length)**



Material Code	Size (Inch)	Size (MM)	Bundle Packing	Price (per piece)
44004510	1/2"	15	40	171
44004511	3/4"	20	35	246
44004512	1"	25	30	327
44003887	1.25"	32	15	489
44003889	1.5"	40	10	585
44003891	2"	50	10	792

**SCH-40 (6Mtr. Length)**




Material Code	Size (Inch)	Size (MM)	Bundle Packing	Price (per piece)
44003882	1/2"	15	25	342
44003884	3/4"	20	25	492
44003886	1"	25	25	654
44003888	1.25"	32	15	978
44007083	1.5"	40	10	1170
44003890	2"	50	10	1584

**SCH-80 (3Mtr. Length)**



Material Code	Size (Inch)	Size (MM)	Bundle Packing	Price (per piece)
44004513	1/2"	15	40	228
44004514	3/4"	20	35	315
44004515	1"	25	30	450
44003899	1.25"	32	15	630
44003901	1.5"	40	10	789
44003903	2"	50	10	1089

**SCH-80 (6Mtr. Length)**



Material Code	Size (Inch)	Size (MM)	Bundle Packing	Price (per piece)
44003894	1/2"	15	25	456
44003896	3/4"	20	25	630
44003898	1"	25	25	900
44003900	1.25"	32	15	1260
44003902	1.5"	40	10	1578
44003904	2"	50	10	2178

**UPVC FITTINGS PIPES - SCH 80 PIPES MANUFACTURED AS PER ASTM D2467**

**ELBOW THREADED**



Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44006900	1/2"	15	180	30	14
44007011	3/4" x 1/2"	20 x 15	150	30 x 5	16
44007010	1" x 1/2"	25 x 15	-	-	22

**THREADED TEE**



Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44007012	15	1/2"	-	-	19
44007013	20	3/4"	-	-	26
44007014	25	1"	-	-	39

**COUPLER**



Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44001256	1/2"	15	288	24	11
44001255	3/4"	20	216	24	16
44005625	1"	25	126	18	24
44001257	1.25"	32	60	15	39
44001867	1.5"	40	48	8	50
44002560	2"	50	24	6	67

**90° ELBOW**



Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44005627	1/2"	15	150	25	15
44006573	3/4"	20	125	25	19
44005621	1"	25	64	16	33
44001247	1.25"	32	40	10	50
44005628	1.5"	40	24	8	77
44005635	2"	50	12	3	118

**ELBOW REDUCING**



Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44006602	3/4" x 1/2"	20 x 15	150	30	20
44006565	1" x 1/2"	25 x 15	80	20	31
44006564	1" x 3/4"	25 x 20	80	20	35
44006992	1.25" x 1/2"	32 x 15	48	12 x 4	42
44006987	1.25" x 3/4"	32 x 20	48	12 x 4	45
44006991	1.25" x 1"	32 x 25	40	10 x 4	49
44007030	1.5" x 1/2"	40 x 15	-40	10 x 4	44
44006990	1.5" x 3/4"	40 x 20	40	10 x 4	53
44007008	1.5" x 1"	40 x 25	32	8 x 4	51
44007009	1.5" x 1.25"	40 x 32	24	6 x 4	60
44007004	2" x 1/2"	50 x 15	24	6 x 4	64
44006988	2" x 3/4"	50 x 20	24	6 x 4	76
44006989	2" x 1"	50 x 25	20	5 x 4	83
44006996	2" x 1.25"	50 x 32	20	5 x 4	78
44007003	2" x 1.5"	50 x 40	16	4 x 4	83

**45° ELBOW**



Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44005907	1/2"	15	125	25	14
44001971	3/4"	20	120	24	23
44005630	1"	25	45	15	32
44002547	1.25"	32	50	10	59
44005634	1.5"	40	32	8	72
44002517	2"	50	20	4	96

**TEE**



Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44001574	1/2"	15	150	30	19
44006574	3/4"	20	80	16	27
44005624	1"	25	44	11	44
44001250	1.25"	32	28	4	81
44005629	1.5"	40	20	4	103
44005633	2"	50	12	2	175

**REDUCER**



Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44002545	3/4" x 1/2"	20 x 15	120	30	20
44001252	1" x 1/2"	25 x 15	120	30	21
44002544	1" x 3/4"	25 x 20	120	30	30
44001244	1.25" x 1/2"	32 x 15	120	20	38
44006774	1.25" x 3/4"	32 x 20	125	25	43
44001245	1.25" x 1"	32 x 25	60	10	47
44002061	1.5" x 1/2"	40 x 15	80	16	49
44006777	1.5" x 3/4"	40 x 20	60	12	56
44002060	1.5" x 1"	40 x 25	80	16	62
44006776	1.5" x 1.25"	40 x 32	48	8	76
44002685	2" x 1/2"	50 x 15	48	12	59
44006781	2" x 3/4"	50 x 20	36	6	85
44002520	2" x 1"	50 x 25	48	12	96
44006778	2" x 1.25"	50 x 32	45	9	100
44002576	2" x 1.5"	50 x 40	27	9	103



### TEE REDUCER

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44006603	3/4" x 1/2"	20 x 15	80	20	23
44005622	1" x 1/2"	25 x 15	54	18	40
44004344	1" x 3/4"	25 x 20	45	15	50
44001249	1.25" x 1/2"	32 x 15	30	10	64
44006780	1.25" x 3/4"	32 x 20	24	8	93
44005623	1.25" x 1"	32 x 25	30	10	98
44006782	1.5" x 1/2"	40 x 15	18	6	122
44006783	1.5" x 3/4"	40 x 20	24	4	143
44006785	1.5" x 1"	40 x 25	20	4	151
44006779	1.5" x 1.25"	40 x 32	20	4	153
44007050	2" x 1/2"	50 x 15	18	3	212
44006786	2" x 3/4"	50 x 20	15	3	204
44006788	2" x 1"	50 x 25	15	3	208
44006784	2" x 1.25"	50 x 32	12	3	212
44006787	2" x 1.5"	50 x 40	15	3	222



### REDUCING F.T.A.

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44007194	1" x 1/2"	25 x 15	120	30 x 4	16



### BUSH REDUCING

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44002542	3/4" x 1/2"	20 x 15	500	50	8
44001866	1" x 1/2"	25 x 15	240	48	19
44002543	1" x 3/4"	25 x 20	280	70	13
44006898	1.25" x 3/4"	32 x 20	150	30	23
44002509	1.25" x 1"	32 x 25	180	30	21
44002541	1.5" x 1/2"	40 x 15	100	25	35
44001865	1.5" x 1"	40 x 25	90	30	38
44002506	1.5" x 1.25"	40 x 32	120	20	23
44002508	2" x 1/2"	50 x 15	96	16	43
44002540	2" x 1"	50 x 25	60	12	57
44002507	2" x 1.5"	50 x 40	72	12	44



### M.T.A.

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44001737	1/2"	15	200	50	9
44002570	3/4"	20	180	36	18
44001762	1"	25	100	25	20
44002571	1.25"	32	100	25	38
44002572	1.5"	40	48	16	49
44002518	2"	50	48	12	76



### TANK NIPPLE

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44004483	1/2"	15	40	8	93
44004484	3/4"	20	35	7	111
44004486	1.25"	32	20	4	222
44004487	1.5"	40	16	4	257
44004488	2"	50	9	3	356



### F.T.A.

### REDUCING M.T.A.

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44001763	1/2"	15	150	30	10
44002573	3/4"	20	224	28	18
44005626	1"	25	100	25	25
44002574	1.25"	32	90	15	49
44002575	1.5"	40	36	12	50
44002655	2"	50	36	9	65

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44006896	1" x 1/2"	25 x 15	-	-	16

**CROSS TEE**



Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44005631	1/2"	15	60	20	28
44006789	3/4"	20	60	15	53
44005632	1"	25	42	6	61
44007005	1.25"	32	20	4 x 5	68

**TANK NIPPLE  
ONE SIDE PIPE POCKET**



Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44006587	3/4"	20	75	25	36
44006540	1"	25	45	15	49
44006795	1.25"	32	40	10	68
44006796	1.5"	40	40	8	81
44006894	2"	50	24	6	106

**BALL VALVE PLAIN**



Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
55000475	1/2"	15	45	-	116
55000476	3/4"	20	30	-	177
55000477	1"	25	20	-	242
55000478	1.25"	32	12	-	321
55000479	1.5"	40	8	-	466
55000480	2"	50	4	-	543

**BEND 90° - LONG  
(FABRICATED)**



Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44006769	1/2"	15	80	20	51
44006767	3/4"	20	48	12	70
44006771	1"	25	28	7	98
44006766	1.25"	32	18	-	177
44006768	1.5"	40	10	-	231
44006770	2"	50	17	-	-
44006998	2"	50	17	-	279

**UNION**



Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44005713	1/2"	15	80	20	35
44002533	3/4"	20	60	20	57
44005714	1"	25	48	8	72
44006541	1.25"	32	36	6	90
44006542	1.5"	40	24	6	141
44006543	2"	50	12	4	184

**CIRCUIT TESTING PLUG**



Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44002656	1/2"	15	200	50	21
44002657	3/4"	20	120	30	35
44002658	1"	25	125	25	49

**STEP OVER BEND FABRICATED S-42**



Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44006547	1/2"	15	48	12	53
44006548	3/4"	20	50	10	69
44006549	1"	25	30	10	110
44006806	1.25"	32	36	-	197
44006807	1.5"	40	36	-	241
44006808	2"	50	16	-	302

**END CAP**



Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44001757	1/2"	15	300	50	11
44002036	3/4"	20	150	25	13
44001754	1"	25	120	40	18
44001752	1.25"	32	90	30	28
44001995	1.5"	40	48	12	41
44002519	2"	50	60	15	57

**STEP OVER BEND FABRICATED S-80**



Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44006544	1/2"	15	50	10	58
44006545	3/4"	20	30	10	83
44006546	1"	25	30	10	127
44006809	1.25"	32	36	-	173
44006810	1.5"	40	36	-	226
44006811	2"	50	16	-	366



**F.T.A. BRASS**

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44001963	1/2"	15	120	30	96
44002565	3/4"	20	75	25	144
44001964	1"	25	60	15	164
44002566	1.25"	32	36	12	280
44002567	1.5"	40	24	8	370
44002568	2"	50	24	6	549

**END PLUG**



Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44001993	1/2"	15	800	100	5



**REDUCER BRASS**

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44001973	3/4" x 1/2"	20 x 15	140	28	115
44001994	1" x 1/2"	25 x 15	80	20	118

**NON RETURN VALVE**



Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44006649	1/2"	15	32	8 x 4	182
44006897	3/4"	20	30	6 x 5	195
44006648	1"	25	30	6	317



**ELBOW REDUCING BRASS**

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44004376	3/4" x 1/2"	20 x 15	100	25	80
44006772	1" x 1/2"	25 x 15	80	20	88

**M.T.A. BRASS**



Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44001961	1/2"	15	140	28	147
44002561	3/4"	20	90	18	199
44001962	1"	25	60	15	219
44002562	1.25"	32	36	12	471
44002563	1.5"	40	36	12	661
44002564	2"	50	24	6	956



**TEE REDUCING BRASS**

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44004374	3/4" x 1/2"	20 x 15	60	20	164
44002064	1" x 1/2"	25 x 15	36	12	168
44006775	1" x 3/4"	25 x 20	36	12	125
44002063	1.5" x 1/2"	32 x 15	24	6	475
44002062	1.5" x 1"	40 x 25	24	6	513



**ELBOW BRASS**

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44001965	1/2"	15	150	25	96
44004375	3/4"	20	100	25	156
44001966	1"	25	40	10	264



**M.T.A. REDUCING BRASS**

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44006773	1" x 3/4"	25 x 20	90	18	129
44007006	1.5" x 1.25"	40 x 32	27	9 x 3	517



**TEE BRASS**

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44005943	1/2"	15	75	25	106
44004373	3/4"	20	60	20	162
44001969	1"	25	40	10	322



**PIPE CLIP**

Material Code	Size (Inch)	Size (MM)	CB Packing	PB Packing	Price (per piece)
44002554	1/2"	15	800	100	5
44002555	3/4"	20	450	150	8
44002556	1"	25	400	100	8
44002557	1.25"	32	350	70	9
44002558	1.5"	40	250	50	11
44002559	2"	50	180	30	15



**UPVC SOLVENT CEMENT**

Material Description	Material Code	Pack Size (in ML)	Packing Type	Packing	Price (per piece)
SOLVENT (H.D.) (GRD 77)	55000511	50	TUBE	50	101
SOLVENT (H.D.) (GRD 77)	55000600	50	TIN	30	105
SOLVENT (H.D.) (GRD 77)	55000513	125	TIN	144	200
SOLVENT (H.D.) (GRD 77)	55000514	250	TIN	24	358


\*CB - CORRUGATED BOX \*BP - POLYTHENE BAG  
 \*Image shown in the price list may vary from actual Product.

**KASTA SWR PIPES**  
 comes with smart duro  
 ring locking system  
 for a leak-proof drainage.



**SWR SELFIT PIPES MANUFACTURED AS PER IS : 13592**

**SELFIT TYPE A  
 (3 Mtr. Length)**



Material Code	Size (MM)	Price (per piece)
44000620	40	258
44000622	50	324
44000604	63	354
44000624	75	429
44000630	90	513
44000606	110	738
44000615	160	1680

**SELFIT TYPE B  
 (3 Mtr. Length)**



Material Code	Size (MM)	Price (per piece)
44005047	75	768
44005042	110	1134

**SELFIT TYPE B  
 (3.66 Mtr. Length)**




Material Code	Size (MM)	Price (per piece)
44007226	90	1141.92
44007225	110	1383.48

**SDR PIPE TYPE A  
 (3.66 Mtr. Length)**




Material Code	Size (MM)	Price (per piece)
44007102	90	688.08
44007101	110	958.92

**SELFIT TYPE B  
 (6 Mtr. Length)**



Material Code	Size (MM)	Price (per piece)
44007103	90	1872
44007100	110	2268

**SDR PIPE TYPE A  
 (6 Mtr. Length)**



Material Code	Size (MM)	Price (per piece)
44000605	63	708
44000629	75	804
44000631	90	960
44000607	110	1386
44000613	140	2724
44000616	160	3360

**SELFIT PIPE NON ISI  
 TYPE A (3 Mtr. Length)**




Material Code	Size (MM)	Price (per piece)
44000618	200	2067
44002973	250	4779
44002974	315	7713

**SELFIT PIPE NON ISI  
 TYPE A (6 Mtr. Length)**



Material Code	Size (MM)	Price (per piece)
44000619	200	4134
44004110	315	15426

**SELFIT PIPE NON ISI  
 TYPE B (3 Mtr. Length)**



Material Code	Size (MM)	Price (per piece)
44004028	160	2166

**SELFIT PIPE NON ISI  
 TYPE B (6 Mtr. Length)**



Material Code	Size (MM)	Price (per piece)
44000617	160	4332


**DRAINAGE SELFIT/RING O SOCKET PIPES**

**DRAINAGE SELFIT PIPE  
 2.5 Kgf /cm<sup>2</sup> - 3 Mtr Length**



Material Code	Size (MM)	Price (per piece)
44000268	75	306
44000273	90	411
44000262	110	624
44000264	140	1020
44000266	160	1299
44003602	250	3336
44003603	315	5439

**DRAINAGE SELFIT PIPE  
 2.5 Kgf /cm<sup>2</sup> - 6 Mtr Length**




Material Code	Size (MM)	Price (per piece)
44000269	75	612
44000274	90	822
44000263	110	1248
44000265	140	2040
44000267	160	2598

**DRAINAGE RING O SOCKET PIPE  
 2.5 Kgf /cm<sup>2</sup> - 3 Mtr Length**



Material Code	Size (MM)	Price (per piece)
44000270	75	318
44001440	110	633
44000275	160	1317

**DRAINAGE RING O SOCKET PIPE  
 2.5 Kgf /cm<sup>2</sup> - 1.8 Mtr Length**



Material Code	Size (MM)	Price (per piece)
44000689	75	351
44000679	110	628.20



**RING O SINGLE SOCKET  
 PIPE TYPE A (3 Mtr. Length)**



Material Code	Size (MM)	Price (per piece)
44000666	75	438
44000672	90	567
44000659	110	744
44000665	160	1698

**RING O SINGLE SOCKET  
 PIPE TYPE B (3 Mtr. Length)**



Material Code	Size (MM)	Price (per piece)
44000671	75	774
44000660	110	1155
44001271	160	2166

**RING O SINGLE SOCKET  
 PIPE TYPE (0.6 Mtr. Length)**



Material Code	Size (MM)	Price (per piece)
44000692	75	102
44000680	110	181.80

**RING O DOUBLE SOCKET  
 PIPE (0.6 Mtr. Length)**



Material Code	Size (MM)	Price (per piece)
44000690	75	121.80
44000676	110	214.80
44000684	160	445.20

**RING O SINGLE SOCKET  
 PIPE TYPE (0.9 Mtr. Length)**



Material Code	Size (MM)	Price (per piece)
44000693	75	143.10
44000681	110	259.20

**RING O DOUBLE SOCKET  
 PIPE (0.9 Mtr. Length)**



Material Code	Size (MM)	Price (per piece)
44000686	75	179.10
44000674	110	322.20

**RING O SINGLE SOCKET  
 PIPE TYPE (1.2 Mtr. Length)**



Material Code	Size (MM)	Price (per piece)
44000694	75	184.80
44000682	110	342

**RING O DOUBLE SOCKET  
 PIPE (1.2 Mtr. Length)**



Material Code	Size (MM)	Price (per piece)
44000687	75	231.60
44000673	110	409.20

**RING O SINGLE SOCKET  
 PIPE TYPE (6 Mtr. Length)**



Material Code	Size (MM)	Price (per piece)
44002337	160	4332

**RING O DOUBLE SOCKET  
 PIPE (1.8 Mtr. Length)**



Material Code	Size (MM)	Price (per piece)
44000691	75	340.20
44000675	110	595.80

**RING O DOUBLE SOCKET  
 PIPE (3 Mtr. Length)**



Material Code	Size (MM)	Price (per piece)
44000688	75	549
44000677	110	993
44000685	160	2088

**SWR RING O SOCKET FITTINGS MANUFACTURED AS PER IS-14735**



**COUPLER**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006411	RS	75	55	62
44006480	RS	90	32	93
44006388	RS	110	34	117
44006412	RS	160	12	277



**45° BEND**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006385	RS	75	70	76
44006406	RS	90	40	114
44006448	RS	110	24	132
44006404	RS	160	9	362



**87.5° BEND**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006408	RS	75	58	89
44006470	RS	90	32	137
44006449	RS	110	20	161
44006400	RS	160	8	387



**87.5° DOOR BEND**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006414	RS	75	42	112
44006471	RS	90	28	154
44006442	RS	110	20	205
44006401	RS	160	7	441



**SINGLE TEE**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006433	RS	75	41	127
44006434	RS	90	22	181
44006431	RS	110	12	239
44006432	RS	160	6	546



**SINGLE TEE WITH DOOR**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006392	RS	75	34	160
44006439	RS	90	20	205
44006443	RS	110	6	284
44006420	RS	160	4	609



**REDUCING TEE**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006428	RS	90 x 75	23	176
44006436	RS	110 x 75	17	222
44006596	RS	110 x 90	10	248
44006429	RS	160 x 110	6	501



**REDUCING TEE WITH DOOR**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006418	RS	90 x 75	20	209
44006527	RS	110 x 75	12	290
44006594	RS	110 x 90	10	278
44006419	RS	160 x 110	6	538



**SINGLE Y**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006430	RS	75	16	149
44006435	RS	90	16	240
44006397	RS	110	10	296



**SINGLE Y WITH DOOR**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006440	RS	75	16	180
44006441	RS	90	12	260
44006399	RS	110	10	346



**REDUCING Y**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006566	RS	100 x 75	12	266
44006598	RS	110 x 90	10	278



**REDUCING Y WITH DOOR**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006569	RS	110 x 75	10	302
44006600	RS	110 x 90	10	308



**DOUBLE Y**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006425	RS	75	20	190
44006424	RS	110	7	392



**DOUBLE Y WITH DOOR**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006447	RS	75	17	215
44006445	RS	110	6	443



**DOUBLE TEE**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006427	RS	75	28	150
44006426	RS	110	5	308



**DOUBLE TEE WITH DOOR**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006394	RS	75	20	177
44006417	RS	110	7	356



**REDUCER**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006387	RS	110 x 75	60	109
44006395	RS	160 x 110	12	234



**CLEANING PIPE**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006390	RS	75	51	122
44006410	RS	110	15	229
44006409	RS	160	6	483

**SWR SELFIT FITTINGS MANUFACTURED AS PER IS-14735**



**COUPLER**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006460	SF	75	60	58
44006484	SF	90	32	88
44006459	SF	160	34	112
44006586	SF	160	12	265



**45° BEND**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006384	SF	75	45	72
44006453	SF	90	54	109
44006405	SF	110	28	125
44006451	SF	160	9	344



**87.5° BEND**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006454	SF	75	64	84
44006469	SF	90	32	133
44006407	SF	110	22	142
44006584	SF	160	8	458



**87.5° DOOR BEND**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006438	SF	75	55	105
44006472	SF	90	32	152
44006413	SF	110	20	194



**SINGLE TEE**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006458	SF	75	48	111
44006473	SF	90	24	177
44006450	SF	110	12	180
44006585	SF	160	6	603



**SINGLE TEE WITH DOOR**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006391	SF	75	40	152
44006421	SF	90	14	201
44006422	SF	110	6	256



**DOUBLE TEE**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006457	SF	75	34	141
44006456	SF	110	5	292



**DOUBLE TEE WITH DOOR**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006393	SF	75	24	168
44006446	SF	110	7	338



**REDUCING TEE**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006455	SF	110 x 75	20	209
44006497	SF	110 x 90	10	229



**REDUCING TEE WITH DOOR**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006528	SF	110 x 75	12	272
44006595	SF	110 x 90	10	265



**SINGLE Y**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006463	SF	75	20	141
44006462	SF	90	16	237
44006396	SF	110	10	292



**SINGLE Y WITH DOOR**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006423	SF	75	30	170
44006437	SF	90	12	254
44006398	SF	110	10	339



**DOUBLE Y**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006452	SF	75	20	188
44006461	SF	110	7	371



**DOUBLE Y WITH DOOR**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006416	SF	75	15	213
44006415	SF	110	6	422



**REDUCING Y**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006567	SF	100 x 75	12	242
44006599	SF	110 x 90	10	265



**REDUCING Y WITH DOOR**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006568	SF	110 x 75	10	326
44006601	SF	110 x 90	10	303



**MULTI FLOOR TRAP WITH TILE & JALI**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44000579	-	100 x 75	24	234



**GULLY TRAP**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44004408	-	160 x 110	4	915



**NAHANI TRAP WITHOUT JALI**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44005547	-	110 x 63	22	168
44005549	-	110 x 75	22	138
44005551	-	110 x 90	21	174
44005553	-	110 x 110	16	175




**NAHANI TRAP WITH JALI**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44005546	-	110 x 63	22	186
44005548	-	110 x 75	22	185
44005550	-	110 x 90	21	201
44005552	-	110 x 110	16	206



**REDUCER**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006386	SF	100 x 75	60	101



**ROUND JALI**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44000603	-	110	200	26



**P-TRAP (BIG)**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44000584	-	110 x 110	9	413



**P-TRAP (SMALL)**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44000590	-	110 x 110	10	356
44000591	-	125 x 110	10	365




**S-TRAP**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44000649	-	110 x 110	5	569



**VENT COWL**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006464	-	63	180	24
44006468	-	75	150	26
44006465	-	90	100	29
44006467	-	110	90	38



**SQUARE JALI**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44000648	-	-	40	74



**PIPE CLIP**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006482	-	75	200	22
44000589	-	90	200	26
44006481	-	110	125	34
44000587	-	160	65	56



**SOCKET PLUG**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006483	-	75	160	38
44006466	-	110	92	64



**CLEANING PIPE**

Material Code	SF/RS	Size (MM)	Packing	Price (per piece)
44006389	SF	75	32	122
44006444	SF	110	12	248



**CONDUIT PIPE**

Category	Material Code	Size (mm)	Length mtr	Rate Per/Mtr
Conduit Pipe	44000790	25	3	41

**KASTA 4-layer all-weather  
 WATER STORAGE TANK**  
 comes with superior  
 strength for a longer life.



**WATER STORAGE TANK**

Material Code	Capacity in Ltr	Price (per piece)
44005446	1000	9913
44005447	750	7435
44005448	500	4957
44005449	300	3199
44005450	200	2133



**200LTR**

**300LTR**

**500LTR**

**750LTR**

**1000LTR**

**Coming Soon**

**1500 & 2000 LTR**

# CERTIFICATIONS

Bureau Veritas Certification

**KRITI INDUSTRIES (INDIA) LIMITED**

PLOT NO. 13/1, TARAPURA, PLOT NO. 75-86, SECTOR II, PITHAMPUR,  
DIST: DHAR – 454 774, MADHYA PRADESH, INDIA.

*Bureau Veritas (India) Pvt. Ltd. (Certification Business) certify that the Management System of the above organisation has been audited and found to be in accordance with the requirements of the Management System Standard detailed below*

---

*Standard*

**ISO 9001:2015, ISO 14001:2015 & ISO 45001:2018**

*Scope of certification*

---

**Design, Manufacturing and dispatch of**  
**A) Extruded Plastic Pipes, Ducts, Molded Fittings, Suction and Garden pipe, Water Tank and Components for the application in the industries like Agriculture, Industrial, Potable water, Electrical, Electronics, Telecommunication & Gas.**  
**B) Drip Irrigation System & required accessories, Consumer Durables**

Original cycle start date: **14 January 2021**  
Resertification cycle start date: **13 January 2024**  
Subject to the continued satisfactory operation of the Organisation's Management System, this certificate is valid until: **13 January 2027**  
Certificate No. **IND.24.1011/M/MN**    Version: 1    Issue date: **13 January 2024**

**QM 003    EM 004    OHSMS 001**

**Certification Authority**  
**Jagdishesh N. MANIYAR**  
**Director – CERTIFICATION, South Asia**  
**Commodities, Industry & Facilities Division**

Local office: Bureau Veritas (India) Private Limited (Certification Business)  
72 Business Park, Marol Industrial Area, MIDC Cross Road 'C',  
Dhule (East), Marhata - 430 003, India.

Further clarifications regarding the scope of this certificate and the applicability of the management system requirements may be obtained by consulting the signatories.  
To check this certificate validity please call +91 22 8274 2000 OR E-mail: [cert.india@bureauveritas.com](mailto:cert.india@bureauveritas.com)

**BUREAU OF INDIAN STANDARDS**

**Attachment to Licence No. CML- 8288795**

CML-No	Name of the Licensee with the Factory Address	Name of the Product	Indian Standard No.
8288795	Kriti Industries (India) Ltd -75-86 Sector II , Pithampur : 454775	Unplasticized Polyvinyl Chloride (PVC-U) Pipes for Soil and Waste Discharge System Inside and Outside Buildings Including Ventilation and Rainwater System	IS 13592 : 2013

**Endorsement No. 29 Dated 31-Jan-2024**

Whereas, the licence was valid upto First April Two Thousand Twenty Four.

Now, consequent upon renewal, the validity of the licence given in schedule of the Licence Dated 31-MAR-2024 has been extended from First April Two Thousand Twenty Four to Thirty First March Two Thousand Twenty Five

Other terms and conditions of licence remain same.

Branch Head (Bhopal Branch Office)

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002, 9 Bahadur Shah Zafar Marg, ,DELHI,110002

**Contact No:** +91 11 23230131, 23233375, 23239402    **Fax:** +91 11 23234062, 232    **E-mail:** [info@bis.gov.in](mailto:info@bis.gov.in)

**For any other communication**

**Address:** Bhopal Branch Office- Commercial cum Office Complex, Manakalya, Opp. Dushera Maidan, E-5 Area Colony, Bittan Market, Bhopal, BHOPAL, MADHYA PRADESH, 462016

**Phone:** 07552443449  
**Fax:** 07552723451  
**E-Mail:** [bpbo@bis.gov.in](mailto:bpbo@bis.gov.in)  
**Web:** [www.bis.org.in](http://www.bis.org.in), [www.manakonline.in](http://www.manakonline.in)

**BUREAU OF INDIAN STANDARDS**

**Attachment to Licence No. CML/ - 8742993**

CML-No	Name of the Licensee with the Factory Address	Name of the Product	Indian Standard No.
8742993	Kriti Industries (India) Ltd -75-86 Sector II , Pithampur : 454775	Unplasticized Polyvinyl Chloride (UPVC) Injection Moulded Fittings for Soil and Waste Discharge System for Inside and Outside Buildings Including Ventilation and Rain Water System -	IS 14735 : 1999

**Endorsement No. 30 Dated 24-Jan-2024**

Whereas, the licence was valid upto First April Two Thousand Twenty Four.

Now, consequent upon renewal, the validity of the licence given in schedule of the Licence Dated 31-MAR-2024 has been extended from First April Two Thousand Twenty Four to Thirty First March Two Thousand Twenty Five

Other terms and conditions of licence remain same.

Branch Head (Bhopal Branch Office)

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002, 9 Bahadur Shah Zafar Marg, ,DELHI,110002

**Contact No:** +91 11 23230131, 23233375, 23239402    **Fax:** +91 11 23234062, 232    **E-mail:** [info@bis.gov.in](mailto:info@bis.gov.in)

**For any other communication**

**Address:** Bhopal Branch Office- Commercial cum Office Complex, Manakalya, Opp. Dushera Maidan, E-5 Area Colony, Bittan Market, Bhopal, BHOPAL, MADHYA PRADESH, 462016

**Phone:** 07552443449  
**Fax:** 07552723451  
**E-Mail:** [bpbo@bis.gov.in](mailto:bpbo@bis.gov.in)  
**Web:** [www.bis.org.in](http://www.bis.org.in), [www.manakonline.in](http://www.manakonline.in)

**BUREAU OF INDIAN STANDARDS**

**Attachment to Licence No. CML/ - 8200003892**

CML-No	Name of the Licensee with the Factory Address	Name of the Product	Indian Standard No.
8200003892	Kriti Industries (India) Ltd -13/1, Tarapura, Plot No.75-86, Sector-2, , Pithampur : 454775	Chlorinated polyvinyl chloride (CPVC) pipes for potable hot and cold water distribution supplies -	IS 15778 : 2007

**Endorsement No. 7 Dated 24-Jan-2024**

Whereas, the licence was valid upto First April Two Thousand Twenty Four.

Now, consequent upon renewal, the validity of the licence given in schedule of the Licence Dated 31-MAR-2024 has been extended from First April Two Thousand Twenty Four to Thirty First March Two Thousand Twenty Five

Other terms and conditions of licence remain same.

Branch Head (Bhopal Branch Office)

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002, 9 Bahadur Shah Zafar Marg, ,DELHI,110002

**Contact No:** +91 11 23230131, 23233375, 23239402    **Fax:** +91 11 23234062, 232    **E-mail:** [info@bis.gov.in](mailto:info@bis.gov.in)

**For any other communication**

**Address:** Bhopal Branch Office- Commercial cum Office Complex, Manakalya, Opp. Dushera Maidan, E-5 Area Colony, Bittan Market, Bhopal, BHOPAL, MADHYA PRADESH, 462016

**Phone:** 07552443449  
**Fax:** 07552723451  
**E-Mail:** [bpbo@bis.gov.in](mailto:bpbo@bis.gov.in)  
**Web:** [www.bis.org.in](http://www.bis.org.in), [www.manakonline.in](http://www.manakonline.in)



# CERTIFICATIONS

**IAPMO India Pvt. Ltd.**  
No.43, 4th Floor, PHR Tower, Beratena Agrahara, Near Hosur Road Junction, Bangalore, Karnataka 560100

**CERTIFICATE OF LISTING**

IAPMO Plumbing Codes and Standards India Private Ltd. (also IAPMO India) is a product certification body which lists and reports samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is required with periodic surveillance of the supplier's factory and warehouses as well as the maintenance of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as an endorsement, assurance or guarantee by IAPMO India of the product represented by the marking. IAPMO India is not responsible for the quality of the product represented by the marking.

Licensee: KRITI INDUSTRIES (INDIA) LTD,  
Address: 13/1, TARPURA, 75-86, SECTOR-2, INDUSTRIAL AREA, PITHAMPUR, DHAR, MADHYA PRADESH - 454775 INDIA  
File No: IN-1154 Product: CPVC Hot & Cold Water Pipe & Fittings Void After: February 2025

**CHARACTERISTICS:** Chlorinated polyvinyl chloride plastic hot and cold potable water distribution system components made in one standard dimension ratio and intended for water service up to and including 180°F (82°C). This system comprises pipe and fittings, and only listed tubing, socket-type fittings, street fittings, plastic-to-metal transition fittings, solvent cements, and adhesives. Products are manufactured in compliance to ASTM D2846-2017 and to NSF/ANSI 14-2016a, and are to be installed in accordance with the manufacturer's instruction and the requirements of the latest edition of the Uniform Illustrated Plumbing Code - India.

Products listed on this certificate have been tested by an IAPMO India recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

  
Test Facility  
Approved for Listing  
The IAPMO Group

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.

**IAPMO Plumbing Codes and Standards India Pvt. Ltd.**  
No.43, 4th Floor, PHR Tower, Beratena Agrahara, Near Hosur Road Junction, Bangalore, Karnataka 560100

**CERTIFICATE OF LISTING**

IAPMO Plumbing Codes and Standards India Private Ltd. (also IAPMO India) is a product certification body which lists and reports samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is required with periodic surveillance of the supplier's factory and warehouses as well as the maintenance of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as an endorsement, assurance or guarantee by IAPMO India of the product represented by the marking. IAPMO India is not responsible for the quality of the product represented by the marking.

Licensee: KRITI INDUSTRIES (INDIA) LTD, 13/1, TARPURA, 75-86, SECTOR-2, INDUSTRIAL AREA, PITHAMPUR, DHAR, MADHYA PRADESH - 454775 INDIA  
File No: IN-N 1151 Product: Drinking Water System Components - Health Effects Void After: February 2025

**IDENTIFICATION:** Each product shall be permanently and legibly marked with the manufacturer's name or trademark. The product shall be marked with the standard designation "NSF/ANSI/CAN 372.2(2) Lead Free Products".

**CHARACTERISTICS:** Materials or products that come into contact with drinking water and/or drinking water treatment chemicals. Products and materials may include process media, protective materials, joining and sealing materials, pipes and related products, mechanical devices used with treatment/transmission/distribution systems, and mechanical plumbing devices. To be installed in accordance with the manufacturer's instruction. Lead free requirements are addressed under this certificate of listing besides RoHS compliance.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following standard: NSF/ANSI/CAN 372-2020.

  
Test Facility  
Approved for Listing  
The IAPMO Group

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.

**IAPMO India Pvt. Ltd.**  
No.43, 4th Floor, PHR Tower, Beratena Agrahara, Near Hosur Road Junction, Bangalore, Karnataka 560100

**CERTIFICATE OF LISTING**

IAPMO Plumbing Codes and Standards India Private Ltd. (also IAPMO India) is a product certification body which lists and reports samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is required with periodic surveillance of the supplier's factory and warehouses as well as the maintenance of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as an endorsement, assurance or guarantee by IAPMO India of the product represented by the marking. IAPMO India is not responsible for the quality of the product represented by the marking.

Licensee: KRITI INDUSTRIES (INDIA) LTD,  
Address: 13/1, TARPURA, 75-86, SECTOR-2, INDUSTRIAL AREA, PITHAMPUR, DHAR, MADHYA PRADESH - 454775 INDIA  
File No: IN-1153 Product: PVC Sch. 40 & Sch. 80 Pipes Void After: February 2025

**IDENTIFICATION:** Marking on the pipe shall include the following at intervals of not more than 5ft: Nominal pipe size, type of plastic pipe material, schedule, pressure rating in psi (MPa) for water at 73°F (23°C), ASTM D1785, Manufacturing name or trademark, Production code, name of laboratory making evaluation for pipes transporting potable water and the UPC-1™ certification mark.

**CHARACTERISTICS:** Plain or bell end solvent cemented, or elastomeric gasketed rigid polyvinyl chloride (PVC) pipe manufactured in compliance to ASTM D1785-2015 and to NSF/ANSI 14-2016. To be installed in accordance with the requirements of the latest editions of the Uniform Illustrated Plumbing Code - India. USE IS LIMITED TO COLD WATER SERVICE AND YARD PIPING.

Bell end gasketed pipe to be installed with assemblies fabricated with IAPMO certified fittings and compatible pressure rated pipe stubs. Plain or bell end solvent cemented pipe to be used with IAPMO certified PVC fittings, primers, and solvent cements.

Products listed on this certificate have been tested by an IAPMO India recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

  
Test Facility  
Approved for Listing  
The IAPMO Group

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.

**IAPMO India Pvt. Ltd.**  
No.43, 4th Floor, PHR Tower, Beratena Agrahara, Near Hosur Road Junction, Bangalore, Karnataka 560100

**CERTIFICATE OF LISTING**

IAPMO Plumbing Codes and Standards India Private Ltd. (also IAPMO India) is a product certification body which lists and reports samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is required with periodic surveillance of the supplier's factory and warehouses as well as the maintenance of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as an endorsement, assurance or guarantee by IAPMO India of the product represented by the marking. IAPMO India is not responsible for the quality of the product represented by the marking.

Licensee: KRITI INDUSTRIES (INDIA) LTD, 13/1, TARPURA, 75-86, SECTOR-2, INDUSTRIAL AREA, PITHAMPUR, DHAR, MADHYA PRADESH - 454775 INDIA  
File No: IN-1155 Product: UPVC Sch 40 Pipe Fittings Void After: February 2025

**IDENTIFICATION:** Fittings shall be marked with the manufacturer's name or trademark, material designation (UPVC I for UPVC 12454-B, UPVC 12 for UPVC 12454-C, UPVC 13 for UPVC 13354-C and 11443-B, and UPVC II for UPVC 14333-D), size, "D 2466" the sealmark of the laboratory that made evaluation for potable water applications, and the UPC-1™ certification mark. Markings/symbols shall be molded, hot-stamped, or applied by any other equivalent method, such as indelible printing.

Note: Where the size of the fitting does not allow complete marking, omit identification marking in the following sequence: size, material designation, manufacturer's name or trademark. Where recessed marking is used, care shall be taken to see that in no case marking causes cracks or reduces the wall thickness below the minimum specified.

**CHARACTERISTICS:** UPVC Schedule 40 socket type fittings manufactured in compliance to ASTM D 2466-2015 and to NSF/ANSI 14-2016a. To be installed in accordance with the latest edition of the Uniform Illustrated Plumbing Code - India. To be used with IAPMO certified 1) UPVC plain end water pipe and tubing, 2) UPVC primers and 3) solvent cements.

Products listed on this certificate have been tested by an IAPMO India recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

  
Test Facility  
Approved for Listing  
The IAPMO Group

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.

**IAPMO India Pvt. Ltd.**  
No.43, 4th Floor, PHR Tower, Beratena Agrahara, Near Hosur Road Junction, Bangalore, Karnataka 560100

**CERTIFICATE OF LISTING**

IAPMO Plumbing Codes and Standards India Private Ltd. (also IAPMO India) is a product certification body which lists and reports samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is required with periodic surveillance of the supplier's factory and warehouses as well as the maintenance of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as an endorsement, assurance or guarantee by IAPMO India of the product represented by the marking. IAPMO India is not responsible for the quality of the product represented by the marking.

Licensee: KRITI INDUSTRIES (INDIA) LTD, 13/1, TARPURA, 75-86, SECTOR-2, INDUSTRIAL AREA, PITHAMPUR, DHAR, MADHYA PRADESH - 454775 INDIA  
File No: IN-1156 Product: UPVC Sch 80 Pipe Fittings Void After: February 2025

**IDENTIFICATION:** Fittings shall be marked with the manufacturer's name or trademark, material designation (UPVC I for UPVC 12454-B, UPVC 12 for UPVC 12454-C, UPVC 13 for UPVC 13354-C and 11443-B, and UPVC II for UPVC 14333-D), size, "D 2467" the sealmark of the laboratory that made evaluation for potable water applications, and the UPC-1™ certification mark. Markings/symbols shall be molded, hot-stamped, or applied by any other equivalent method, such as indelible printing.

Note: Where the size of the fitting does not allow complete marking, omit identification marking in the following sequence: size, material designation, manufacturer's name or trademark. Where recessed marking is used, care shall be taken to see that in no case marking causes cracks or reduces the wall thickness below the minimum specified.

**CHARACTERISTICS:** UPVC Schedule 80 socket and threaded type fittings manufactured in compliance to ASTM D 2467-2015 and to NSF/ANSI 14-2016a. To be installed in accordance with the latest edition of the Uniform Illustrated Plumbing Code - India. To be used with IAPMO certified 1) UPVC water pipe and tubing, 2) UPVC primers and 3) solvent cements.

Products listed on this certificate have been tested by an IAPMO India recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

  
Test Facility  
Approved for Listing  
The IAPMO Group

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.

# NSF CERTIFICATION

**Introducing Kriti Industries premiumline of cPVC/UPVC/Column pipes and fittings**, meticulously engineered and certified to exceed the highest industry standards for safety, quality, and performance. Our products proudly bear certifications in compliance with NSF/ANSI/CAN 61, NSF/ANSI/CAN 372 (Lead-Free), and UPC-I compliance ASTM standards, our products guarantee unmatched performance, ensuring exceptional reliability and peace of mind for your plumbing needs.

Kriti Industries is one among the first **cPVC/UPVC/Column pipes and fittings** manufacturers in India to secure Drinking Water System Components - Health Effects certification from IAPMO India (International Association of Plumbing and Mechanical officials) in compliance with NSF/ANSI/CAN 61-2022 standard, besides Lead free certification in compliance with NSF/ANSI/CAN 372 and applicable ASTM standards in compliance with India's uniform Plumbing code.(UPC-I)

Why choose our cPVC pipes and fittings?

**Safe Drinking Water:** These pipes and fittings are certified to meet stringent standards for drinking water safety. to NSF/ANSI/CAN 61 and NSF/ANSI/CAN 372 (Lead-Free) certification issued by The IAPMO Group, a global third-party independent certification agency, it ensures that the materials used in manufacturing do not leach harmful chemicals or contaminants into the water supply, thus safeguarding the health of consumers.

**Lead-Free Assurance:** With NSF/ANSI/CAN 372 certification, our cPVC pipes and fittings are completely lead-free, aligning with modern health standards and regulations. You can trust that every drop of water passing through our plumbing systems is pure and untainted, promoting healthier lifestyles and environments.

**Compliance with Industry Standards:** Our products meet the rigorous requirements of UPC-I compliance per applicable ASTM standards, ensuring consistency and compatibility with international plumbing codes and regulations. This commitment to excellence underscores our dedication to quality and reliability in every aspect of our manufacturing process.

**Chemical Resistance:** cPVC pipes and fittings certified under NSF/ANSI/CAN 61 standard are highly resistant to chemical corrosion and degradation. This means that they can withstand exposure to various chemicals commonly found in water systems without compromising water quality or health

standards.

**Reduced Risk of Contamination:** By using certified cPVC pipes and fittings, the risk of bacterial growth, biofilm formation, and waterborne diseases is significantly reduced. The smooth interior surface of cPVC pipes discourages the accumulation of pathogens and sediments, ensuring cleaner and safer water for consumption.

**Exceptional Durability:** Crafted from premium-grade materials, our cPVC pipes and fittings offer unparalleled durability and longevity. Resistant to corrosion, rust, and chemical degradation, our products are designed to withstand the rigors of time and usage, minimizing maintenance costs and ensuring long-term performance.

**Versatile Applications:** From residential plumbing to commercial and industrial installations, our cPVC pipes and fittings are engineered to excel in diverse environments and applications. Whether for potable water systems, irrigation, or industrial processes, our products deliver superior performance and adaptability to meet your specific needs.

**Ease of Installation:** Engineered for seamless installation, our cPVC pipes and fittings feature precise dimensions and reliable joints, facilitating quick and hassle-free assembly. With user-friendly designs and intuitive installation procedures, our products help streamline construction projects and reduce labor costs.

Elevate your plumbing infrastructure with our NSF/ANSI/CAN 61, NSF/ANSI/CAN 372 (Lead-Free), and UPC-I compliant cPVC pipes and fittings. Experience the difference that certified quality, safety, and reliability can make in ensuring clean, safe, and sustainable water distribution systems. Trust in our unwavering commitment to delivering excellence in every connection, every installation, and every drop of water.

**Peace of Mind:** Knowing that your plumbing system is equipped with NSF/ANSI/CAN 61 standard certified cPVC pipes and fittings provides peace of mind. It reassures homeowners, businesses, and communities that their water supply is protected.

Partner with us for your plumbing needs and discover the difference that certified quality and reliability can make. Elevate your projects with our premium cPVC pipes and fittings, where excellence meets compliance. Trust in our commitment to delivering excellence in every joint, every connection, and every drop of water.



# BUILDING PRODUCT

Complete Piping Solutions For Building, Agriculture,  
Infrastructure, Industries and Micro Irrigation Under One Roof

# TECHNICAL INFORMATION

## CPVC Pipes

- according to the water usage & pressure.
- Use Solvent Cement to join the CPVC Pipes at the site/location. Make sure to seal off the end squareness properly.
- For stronger pipe jointing, give enough curing time after fitting the pipes (with solvent cement).
- Pipelines should be given support through pipe clip or bolt at a distance of 0.5 m (horizontally) & 0.8 m (vertically).
- If the pipe is to be hidden/planted inside the wall, make sure to test the pipe for hot water application.
- The ON/OFF outlets of the geyser should be checked during the installation.
- Do not put extra pressure on pipes and fixtures while fitting.

### Don'ts

- No sharp-edged materials or iron hooks should be used for holding the pipe.
- Do not let the pipe come in direct contact with the fire.
- Do not throw the pipe from a greater height. You should avoid walking and placing any heavy material on the pipe.
- No liquid substance should be mixed with the solvent cement. Before using the solvent cement, its expiry date should be checked.
- The pipe and fittings should not be coated with any petroleum products, oil or inflammable products.
- PVC pipes and fittings should not be used for the transportation of air and gas.

pipelines, use rubber ring pipes.

- For horizontal pipelines, the pipe clips should be at a distance of 10x from the pipe Dia. For vertical pipelines, the pipe clips should be used at a distance of 1-2 m accordingly.

### Don'ts

- No sharp-edged materials or iron hooks should be used for holding the pipe.
- Do not let the pipe come in direct contact with the fire.
- Do not throw the pipe from a greater height. You should avoid walking and placing any heavy material on the pipe.
- No liquid substance should be mixed with the solvent cement. Before using the solvent cement, its expiry date should be checked.
- The pipe and fittings should not be coated with any petroleum products, oil or inflammable products.
- Pipes and fittings should not be used for the transportation of air and gas.
- Do not put extra pressure on the door cap to constrict/ fix it. Make sure the ring is in the proper place.
- Do not use smoke to test the pipeline. To test the pipeline, put a socket plug underneath and then fill the pipeline with water. Remove the socket after the testing.

## UPVC Pipes

### Do's

- As per your needs, we request you to purchase pipes and other related materials from the company's authorized dealers only in the company's designated packing. Store the pipes and other related materials in a cool & dry place.
- If you notice any cracks/holes on the pipe then you should cut the pipe, leaving 25 mm space from both sides.
- You should roughen the pipe, before joining it. Uniformly apply solvent cement on top of the pipe and inside the socket then turn the pipe 90°–180° to place it in the socket.
- You should be careful while fixing the pipe to see that no sharp edge tool collides with it.
- If you are using a clip, while fixing the pipe then it should be done as per the base distance.
- If the pipe is under direct sunlight, then you should apply water-based paint to it.
- Check all the joints before sealing off with mud when installing the pipe on the ground.
- If you have to bend the pipe, then it should be done after heating it in transformer oil.

## SWR Pipes

### Do's

- Only use UV stabilized SWR pipes. A rubber ring pipe is suitable for sewage. UV stabilizers do not work on regular PVC pipes. They are affected by sunlight & weather.
- Clean the sides & inner part of the socket. Also, make sure the ring is properly inserted into the socket.
- Cut the pipe in a straight direction. File the pipe at an angle of 15 degrees using medium sandpaper.
- Use rubber lubricant to join rubber ring pipes.
- Apply rubber lubricant on the edges & ring and pour it into the socket while slowly rotating the pipe.
- For a longer life & use, insert the pipe completely in the socket & then pull the pipe 10 mm out of the socket so it can easily contract & expand.
- Check all the joints before sealing off with mud when installing the pipe on the ground.
- If you have to bend the pipe, then it should be done after heating it in transformer oil.
- Check the pipe thoroughly before hiding it.
- For horizontal pipelines, use socket pipes joined by solvent cement. For vertical

## Solvent Cement

- Shake the bottle before use.
- Mixing of primer or any material in the solvent cement should be avoided.
- Solvent cement takes more time to dry during the winter season. Give more time for the pipe joints to dry organically. Do not use any artificial method for drying.
- The joints of the pipes should not be disturbed/lifted till the solvent cement has dried.

# OUR CUSTOMERS

OUR PRODUCTS FIT IN THE SUCCESS STORIES FOR



# KASTA - PRESENCE ACROSS THE NATION



# NOTE

A series of 25 horizontal dashed lines for writing notes.

